
Exam : 000-071

**Title**: IBM System x Technical

Principles V8


Version: DEMO



C. RAID-10 D. RAID-5E Answer: B 4. If a customer requires high availability and redundancy in IBM System x3950 server's memory subsystem, which technology will meet their requirements? A. Memory ProteXion B. XceL4 Cache C. Chipkill Memory D. **Memory Mirroring** Answer: D 5. A customer has an IBM BladeCenter with ten HS21 Blade servers installed. Currently only one Ethernet port is available for each server. What is required to enable the second port on each server? A. Fibre Channel Switch Module B. Gb Ethernet expansion card C. Myrinet Cluster expansion card D. Ethernet Switch Module Answer: D 6. An enterprise customer with locations world-wide needs to remotely update BIOS and Firmware on their systems. Which function of IBM Director will help this customer? A. Software Rejuvenation B. System Maintenance and Update Tool C. Software Distribution D. IBM DeployCenter Answer: C

7. Which storage subsystem supports Windows 2003 cluster service, VMWare ESX server VMotion, and

Fibre Channel host connections?



Answer: D

11. A customer has an x3850 M2 with six 73GB SAS drives installed. They need data protection and at

least 300GB of storage. Which RAID level and adapter meets this requirement?

A. RAID-5 and ServeRaid-8i B.

RAID-5 and ServeRaid-8s C.

RAID-5 and ServeRaid-8e D.

RAID-5 and ServeRaid-8k-I

Answer: C

12. Which tool can a technician use to configure the RAID array and install and tune the operating system

on a System x server?

A. ServerGuide B.

ipssend utility C.

UpdateXpress D.

ConfigXpert

Answer: A

13. Which Intel-based, System x model supports four 2.5" SAS drives in a 1U form factor?

A. x3250

B. x3455

C. x336

D. x3650

Answer: A

14. A customer wants to run two IBM BladeCenter Chassis. Each chassis has 14 blades, four switches,

and four 2000W power supplies. They anticipate that the blades will run at 80-90 percent utilization. They

want complete power redundancy. Which Power Distribution Unit (PDU) configuration meets the

customer's requirements?

A. one 30a Single-Phase PDU

B. two 30a Single-Phase PDUs C. one 60a Single-Phase PDU D. two 60a Single-Phase PDUs Answer: D 15. Which operating system supports IBM Director Server 5.20? A. Microsoft Windows XP Professional Edition B. Microsoft Windows 2003 Server C. Microsoft Windows NT 4.0 Server D. Microsoft Windows 2000 Professional Answer: B 16. Which alert notification method does the RSA II SlimLine support? A. SNMP over modem B. E-mail over modem C. Serial over LAN D. E-mail over LAN Answer: D 17. Which types of storage use World Wide Names (WWN) to identify devices? **I.iSCSI II.SATA** III.SAS **IV.Fibre Channel** V.SCSI A. I and II only B. I and IV only C. II, III, and IV only D. I, II, III, and IV only E. II, III, IV, and V only

Answer: D
18. A customer requires a server that provides spreadsheet, document processing, and presentation
graphics programs to thin clients. Which type of server meets these requirements?
A. web server
B. file server
C. database server D.
application server
Answer: D
19. A customer has an existing storage subsystem that consists of IBM System Storage EXP3000 and
MegaRAID 8480 adapters. Which server(s) is compatible with this storage subsystem?
I.x3755
II.x3850
III.x3950
A. I only B.
II only C. I
and II
D. II and III
Answer: C
20. What is the default IP of the RSA II Slimline card?
A. 9.168.70.125
B. 192.168.70.125
C. 9.168.252.1
D. 192.168.252.1

Answer: B

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.