



642-457^{Q&As}

Implementing Cisco Unified Communications Manager, Part 2 v8.0
(CIPT2 v8.0)

Pass Cisco 642-457 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/642-457.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is correct about AAR?

- A. The end users sees, "Network Congestion Rerouting?" but AAR is otherwise transparent to the end user and works without user intervention.
- B. AAR will display "not enough bandwidth" on the IP phone while it reroutes the call.
- C. AAR allows calls to be rerouted because of insufficient Cisco Unified Border Element controlled bandwidth to an ITSP.
- D. AAR allows calls to be rerouted due to insufficient gatekeeper controlled IP WAN bandwidth.

Correct Answer: A

QUESTION 2

When you configure regions in a Cisco Unified Communications Manager multisite cluster, which two are ways to prevent G.722 from being advertised in the cluster? (Choose two.)

- A. modify the service parameter
- B. modify the enterprise parameter
- C. modify the device pool
- D. modify the line settings

Correct Answer: AB

QUESTION 3

Where do you specify the device mobility group and physical location after they have been configured?

- A. phones
- B. DMI
- C. device mobility CSS
- D. device pool
- E. MRGL
- F. locale

Correct Answer: D



QUESTION 4

With Media Gateway Control Protocol configuration on the voice gateway, which three types of messages are involved in the call flow between the call agent and the voice gateway? (Choose three.)

- A. audit endpoint
- B. modify endpoint
- C. create connection
- D. delete notification
- E. restart in progress
- F. end connections

Correct Answer: ACE

QUESTION 5

Which statement about SIP precondition is most correct?

- A. When configuring SIP precondition, the SIP trunk must have access to an RSVP agent.
- B. When configuring SIP precondition, the IP phones must have access to an RSVP agent.
- C. When configuring SIP precondition, the IP phones and SIP trunk must have access to an RSVP agent.
- D. RSVP agents are only required for the IP phones. SIP trunks require RSVP agents only when fall back to local RSVP is configured.
- E. SIP trunk will always require RSVP agents regardless of what RSVP type is configured.

Correct Answer: D

QUESTION 6

Which two options are effective mechanisms to restrict the maximum number of voice calls on a WAN link? (Choose two.)

- A. Configure a gatekeeper with an SIP trunk.
- B. Configure a gatekeeper and a gatekeeper-controlled trunk in Cisco Unified Communications Manager with bandwidth control.
- C. Configure Cisco Unified Communications Manager regions.
- D. Configure Cisco Unified Communications Manager locations.

Correct Answer: BD



QUESTION 7

Which statement is not true about GARP? (Source: Hardening the IP Phone)

- A. GARP attacks require access to the target LAN or VLAN.
- B. GARP can be used for a man-in-the-middle attack.
- C. GARP is normally used for HSRP.
- D. GARP can be disabled at Cisco IP phones.

Correct Answer: C

QUESTION 8

Refer to the exhibit.

The screenshot shows two configuration panels. The top panel is titled "Hosted DN Group" and contains the following fields: "Name*" with value "BR1_DN", "Description" (empty), "PSTN Failover Strip Digits" with value "0", and "PSTN Failover Prepend Digits" with value "44228822". There is an unchecked checkbox for "Use HostedDN as PSTN Failover". The bottom panel is titled "Hosted DN Pattern" and contains: "Hosted Pattern*" with value "3XXX", "Description" (empty), "Hosted DN Group*" with a dropdown menu showing "BR1_DN", "PSTN Failover Strip Digits" with value "0", and "PSTN Failover Prepend Digits" (empty). There is a checked checkbox for "Use HostedDN as PSTN Failover". A large red watermark "PassApply.com" is overlaid diagonally across the entire screenshot.

Which pattern will be advertised by the Cisco Unified Communications Manager?

- A. 3XXX and the ToDID will be 0.
- B. 3XXX and the TnOID will be 0:44228822.
- C. 3XXX and the ToDID will be 44228822.
- D. 3XXX and the ToDID will be 0:+44228822.




E. 3XXX and the ToDID will be 0:+

Correct Answer: A

QUESTION 9

Refer to the exhibit.



What should the destination IP address be configured as on the HQ and BR1 SIP trunks?

- A. The HQ SIP trunk destination IP address should be 10.1.6.10. The BR1 SIP trunk destination IP address should be 10.1.5.10.
- B. The destination IP address is not configurable. Each cluster will learn about the remote trunk IP address through SAF learned routes.
- C. The destination IP address will be learned automatically and configured on the SIP trunks after the Cisco Unified Communications Managers discover themselves.
- D. The HQ SIP trunk destination IP address should be the HQ SAF Forwarder IP address. The BR1 SIP trunk destination IP address should be the BR1 SAF Forwarder IP address.

Correct Answer: B

QUESTION 10



What is the default value for the Drop Ad Hoc Conference service parameter? (Source:Preventing Toll Fraud)

- A. Never
- B. When No On-Net Parties Remain in the Conference
- C. When No Off-Net Parties Remain in the Conference
- D. Drop Ad Hoc Conference When Creator Leaves

Correct Answer: A

QUESTION 11

Cisco Unified Communications Manager is configured with CAC for a maximum of 10 voice calls.

Which action routes the 11th call through the PSTN?

- A. Configure an SIP trunk to the ISR.
- B. Configure Cisco Unified Communications Manager AAR.
- C. Configure Cisco Unified Communications Manager RSVP-enabled locations.
- D. Configure Cisco Unified Communications Manager locations.

Correct Answer: B

QUESTION 12

What are two important considerations when implementing TEHO to reduce long-distance cost? (Choose two.)

- A. on-net calling patterns
- B. E911 calling
- C. number of route patterns
- D. caller ID

Correct Answer: BD

[Latest 642-457 Dumps](#)

[642-457 PDF Dumps](#)

[642-457 VCE Dumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.