



VCAP5-DCD^{Q&As}

VMware Certified Advanced Professional 5 - Data Center Design
(VCAP5-DCD)

**Pass VMware VCAP5-DCD Exam with 100%
Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcap5-dcd.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A host has three dual-port network cards. What is the maximum number of vSwitches that can be integrated with the physical network, assuming that network redundancy is not a requirement?

- A. 3
- B. 6
- C. 256
- D. 512

Correct Answer: B

QUESTION 2

Operational testing _____.

- A. provides an acceptable user experience and meets or exceeds expectations from all stakeholders
- B. verifies that scripts work
- C. ensures C-level sign-off of the project
- D. ensures that hardware passes stress tests

Correct Answer: A

QUESTION 3

An downstream relationship is a logical object or component that has a dependency on other items in a solution.

- A. True
- B. False

Correct Answer: B

QUESTION 4

An entity relationship diagram shows the physical attributes of a solution.

- A. True
- B. False

Correct Answer: A



QUESTION 5

You are working on a virtual guest design for the deployment of a critical business application. The software vendor has provided you with detailed application requirements for the projected workloads. Which of the following scaling approaches does this describe?

- A. Adaptive
- B. Predictive

Correct Answer: B

QUESTION 6

Which of the following are the infrastructure qualities?

- A. Availability, manageability, best practices, scalability, backup
- B. Availability, manageability, performance, recoverability, security
- C. CPU, memory, network, storage
- D. Management, virtual machine, compute, network, storage

Correct Answer: B

QUESTION 7

A(n) _____ is an item that is taken to be true in the design phases but has not been tested prior to execution.

- A. requirement
- B. constraint
- C. assumption
- D. risk

Correct Answer: C

QUESTION 8

Design choices are normally _____.

- A. justified to the business and project team
- B. presented in a vendor-based best practice
- C. presented in a business-led project requirement



D. all of these are correct

Correct Answer: A

QUESTION 9

VMware HA in vSphere 5.0 cannot survive more than five primary host failures. Thus, hosts should be physically placed in different racks, where possible, to avoid substantial impact.

A. True

B. False

Correct Answer: B

QUESTION 10

Which metric displays the amount of time, in milliseconds, it takes for a virtual CPU to get processing time on a physical CPU?

A. CPU Wait

B. Ballooning

C. CPU Ready

D. pCPU

Correct Answer: C

QUESTION 11

A _____ is an iterative process used to define a technical solution.

A. constraint

B. best practice

C. logical design

D. design methodology

Correct Answer: D

QUESTION 12

You are designing a VMware HA cluster. Due to project requirements, it has been agreed that the admission control policy is based on the number of host failures tolerated per cluster. However, because there are a number of small web servers and one large database server with large reservations, the slot size has been manually configured. What is the



impact of this configuration?

- A. DRS will not automatically defragment the resources in the event of a failure.
- B. DRS will automatically defragment the resources in the event of a failure.
- C. DPM cannot be used in this configuration.

Correct Answer: A

QUESTION 13

vCenter Server Linked mode allows you to view up to 10 vCenter Servers in a single window.

- A. True
- B. False

Correct Answer: B

QUESTION 14

You are a technical consultant designing a solution for an online retail company. The project vision is to deploy a hybrid cloud, with the internal team developing the website on internal infrastructure and migrating production-ready applications

to a hosting provider. The project is expected to ease deployment and require less infrastructure capital expenditure--without lowering application quality.

Which of the following is a risk to the project?

- A. The solution must adhere to ISO 27001.
- B. Change control of the hosting vCloud platform is not under full control of the internal business.
- C. The hosting provider outsources the platform support to the platform vendor.
- D. The applications to be deployed on the production hosts are not fully developed, although a beta exists.

Correct Answer: B

QUESTION 15

You are a VMware architect designing a solution for a client with an existing site who wishes to build a disaster recovery site. The operations manager has presented some information in the kickoff meeting. The company has 1,000 VMs, and

the average VM has the following specs:

18 GB memory



2 vCPU

100 GB

The company already has an existing vendor relationship with a hardware vendor and would like to keep the existing storage solution roadmap in place. The following requirements are stated:

RTO: 15 minutes

RPO: 15 minutes

Uptime: 99.99%

The existing vendor relationship is a _____.

- A. risk to the project
- B. constraint
- C. vision

Correct Answer: B

[Latest VCAP5-DCD Dumps](#)

[VCAP5-DCD VCE Dumps](#)

[VCAP5-DCD Practice Test](#)