

# 010-151<sup>Q&As</sup>

Supporting Cisco Data Center System Devices

# Pass Cisco 010-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/010-151.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





### **QUESTION 1**

Which two statements about the Ethernet media are true? (Choose two.)

- A. A twisted-pair cable system has each pair of wires twisted together to reduce electromagnetic interference.
- B. Compared to multimode ber, the single-mode ber is designed for shorter distances with higher cost.
- C. 40 Gigabit Ethernet twinax cables deploy Enhanced Quad Small Form Factor Pluggable (QSFP+) connectors.
- D. The twinax cables can be found in either a shielded twisted-pair or an unshielded twisted-pair variation.

Correct Answer: AC

#### **QUESTION 2**

Which two commands display the version of Cisco NX-OS code that the device is currently running on? (Choose two.)

- A. show version
- B. show module
- C. show interface
- D. show boot
- E. show license
- Correct Answer: AB

**QUESTION 3** 



cisco	UCS Manager	000	•••••	00
ж	All •	Equipment / Rack-Mounts / Serve	C ) Installed Firmware SEL Logs CMC Sessions VF Part D Into Health Diagnostics Fai	
	Chassis Chassis Chassis 4 Chassis 5 Chassis 6 Chassis 7 Rack-Mounts FEX	Centeral Investory Virtual Machine Fault Summary 8 0 0 0 0 0 0 0 4 Status Overall Status + Unassociated	Physical Display	etts Evi >
= = .	Server 1 () Server 2 () Server 3 () Server 3 () Server 4 () Server 6 () Server 6 () Server 7 () Server 8 () Server 9 () Server 9 ()	Status - Una saturated Status - Una saturated Actions Actions Create Service Profile Associate Service Profile Set Destract Power State Stock Server Shutdown Server Reset Recover Server Server Maintenance	ID :1 Product Name :Cisco UCS C220 M4S Vendor :Cisco Systems Inc PID :UCSC-C220-M45 Revision :0 Serial :RK46 Asset Tag : Name : User Label : Unique Identifier :1b4e28ba-2fa1-11d2-e001-b0a761bde3fb Service Profile : Locator LED :0 FP buttons Unlocked	
	Server 11 () Server 12 () Server 13 () Server 13 () Server 14 () Server 15 () Server 16 () Server 17 ()	10     KVM Console >>       20     RDK as CMC for Set >>       30     Turn on Locator LED       40     Lock FP Buttons       50     View POST Results       60     Start Fault Suppression	Summary   Number of Processors   :1   Cores Enabled   :4     Cores   :4   Threats   :8     Effective Memory (MB)   :49152   Total Memory (MB)   :49152     Operating Memory Speed   :N/A   Operating Memory Vottage   :N/A     Adapters   :1   :1   :0   :1	

Refer to the exhibit. Which item list all available functions that can be perform to the server?

- A. A
- B. B
- C. C
- D. D

Correct Answer: A

# **QUESTION 4**

Refer to the exhibit.



What is the name of this rack-mount server?



- A. Cisco UCS C220 Rack-Mount Server
- B. Cisco UCS C240 Rack-Mount Server
- C. Cisco UCS C420 Rack-Mount Server
- D. Cisco UCS C460 Rack-Mount Server

Correct Answer: C

## **QUESTION 5**

In Cisco UCS C480 M5 server, which PCIe slot is the default slot for the rear RAID controller when the rear drive module is used with SAS/SATA drives?

- A. PCIe slot 09
- B. PCIe slot 10
- C. PCle slot 11
- D. PCle slot 12
- Correct Answer: C

Reference:

https://www.cisco.com/c/en/us/td/docs/unified\_computing/ucs/c/hw/C480M5/install/C480M5/C480M5\_chapter\_01.html

010-151 PDF Dumps

010-151 VCE Dumps

010-151 Braindumps