



050-696^{Q&As}

Foundations of Novell Open Enterprise Server NetWare

Pass Novell 050-696 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/050-696.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Novell
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which NSS feature allows total size of all volumes on a partition to exceed the physical size of the partition itself?

- A. SnapShot
- B. Shredding
- C. Migration
- D. Encryption
- E. Overbooking
- F. Compression

Correct Answer: E

QUESTION 2

You are installing OES NetWare on new server hardware. The server has dual Pentium 4 CPUs running at 2 GHz, 1 GB of RAM, an integrated 64-bit PCI network board, and mirrored 200 GB hard disk drives. You power on the server and insert the OES NetWare Operating System CD in the server's CD drive. However, the NetWare installation program doesn't run. Instead, you see a message that states "Operating system not found. Please insert a disk in drive A:, then press any key." What is causing this problem?

- A. The OES NetWare installation program doesn't support dual CPUs.
- B. The system must be booted from the OES NetWare Products CD first.
- C. The server's BIOS is not configured to boot from the CD-ROM drive.
- D. The OES NetWare installation program doesn't support integrated network boards.
- E. The OES NetWare installation program isn't compatible with 64-bit PCI network boards.
- F. The server's hard disk drives must be partitioned and formatted before you can install OES NetWare.

Correct Answer: C

QUESTION 3

You're planning the network file system for an OES NetWare server. Your server has a mirrored 40 GB SCSI-3 hard disk drive array. On the array, you've decided to create one NSS volume named SYS. In addition to the default operating system directories created when NetWare is installed, you want to create a directory named USERS off the volume root where each user will have his or her home directory. You also want to create a directory named SPOOL off the volume root where print jobs waiting to be printed on the network printer will reside. Finally, you want to create a



directory named APPS off the volume root where network- distributed applications will reside. Does this design meet with Novell guidelines?

- A. Yes, all Novell guidelines have been met.
- B. No, NSS doesn't support mirrored drive arrays
- C. No, NSS doesn't support SCSI-3 hard disk drives.
- D. No, the user's home directory should be named HOME.
- E. No, only the NetWare operating system should reside on volume SYS.
- F. No, volume SYS should be a traditional volume on a NetWare 6.5 server.
- G. No, the users' home directories should be placed immediately beneath SYS:\PUBLIC.

Correct Answer: E

QUESTION 4

You plan to install OES NetWare into an existing eDirectory tree that already has NetWare 5.1 servers in it. Which is the minimum Support Pack that must be installed on the NetWare 5.1 servers before you can install an OES NetWare server into the tree?

- A. Support Pack 5
- B. Support Pack 6
- C. Support Pack 7
- D. Support Pack 8

Correct Answer: D

QUESTION 5

Which is a multivalued property of an eDirectory user object?

- A. Surname
- B. Password
- C. Zip Code
- D. Full Name
- E. Home Directory



F. Telephone Number

Correct Answer: F

[Latest 050-696 Dumps](#)

[050-696 Practice Test](#)

[050-696 Exam Questions](#)