



100-490^{Q&As}

Supporting Cisco Routing & Switching Network Devices

Pass Cisco 100-490 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/100-490.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What does Cisco use for Return Materials Authorization tracking of field-replaceable parts?

- A. product number
- B. serial number
- C. RMA number
- D. FRU number

Correct Answer: C

QUESTION 2

Which address facilitates the routing of packets over an IP network?

- A. physical
- B. transport
- C. network
- D. MAC

Correct Answer: C


QUESTION 3

Which two pieces of information are displayed when you use the show ip interface brief command? (Choose two.)

- A. Layer 2 address
- B. keepalive
- C. Layer 3 address
- D. encapsulation type
- E. interface status

Correct Answer: CE

QUESTION 4



Refer to the exhibit. Which two statements about the hardware components are true? (Choose two.)

- A. 2 is an RJ-45 to USB Type A console cable.
- B. 3 is a USB Type A port.
- C. 3 is a USB 5-pin mini USB Type B port.
- D. 1 is a USB Type A port.
- E. 2 is a USB 5-pin mini USB Type B to USB Type A console cable.

Correct Answer: BE

Reference: https://www.cisco.com/c/en/us/td/docs/routers/access/2900/hardware/installation/guide/Hardware_Installation_Guide/Install_Connect.html

QUESTION 5

Which two commands set the configuration register value? (Choose two.)

- A. rommon>confreg 0x2102



B. router(config)#confreg 0x2102

C. rommon>config-register 0x2102

D. router(config)#configuration-register 0x2102

E. router(config)#config-register 0x2102

Correct Answer: AE

[100-490 VCE Dumps](#)

[100-490 Practice Test](#)

[100-490 Exam Questions](#)