



100-490^{Q&As}

Supporting Cisco Routing & Switching Network Devices

Pass Cisco 100-490 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/100-490.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Cisco CPAK 100GBASE module supports Multimode Fiber cable?

- A. Cisco CPAK-100G-CWDM4
- B. Cisco CPAK-100G-LR4
- C. Cisco CPAK-100G-ER4L
- D. Cisco CPAK-100G-SR4

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/products/collateral/interfaces-modules/transceiver-modules/data_sheet_c78-728110.html

QUESTION 2

Which command provides detailed information about the components that are installed on a router, such as the model, PID, and serial number?

- A. show chassis
- B. show items
- C. show inventory
- D. show router

Correct Answer: C

QUESTION 3

The pins on an RJ-45 cable plug are numbered from 1 through 8. When the metal pins of the plug are facing toward you, pin 1 is the leftmost pin. Which two sets of pins are looped on an RJ-45 56K loopback plug? (Choose two.)

- A. pins 2 and 7
- B. pins 2 and 8
- C. pins 2 and 5
- D. pins 1 and 7
- E. pins 1 and 4

Correct Answer: CE



QUESTION 4

ESD is the sudden and momentary electric current that flows between two objects at different electrical potentials, caused by direct contact or induced by an electrostatic field. Which three tools are used to avoid ESD? (Choose three.)

- A. negative static bag
- B. antistatic mat
- C. ESD wrist strap
- D. negative static mat
- E. antistatic bag
- F. latex gloves

Correct Answer: BCE

QUESTION 5

What are two standard fiber-optic connectors? (Choose two.)

- A. Lucent
- B. rollover
- C. subscriber
- D. multidimension
- E. crossover

Correct Answer: AC

[100-490 VCE Dumps](#)

[100-490 Practice Test](#)

[100-490 Brindumps](#)