



# 101-01<sup>Q&As</sup>

Riverbed Certified Solutions Associate

## Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/101-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following Steelhead appliance models support field replaceable disk drives? (Select 3)

- A. 250
- B. 2050
- C. 6050
- D. 5050

Correct Answer: BCD

---

### QUESTION 2

The Central Management Console appliance can scale to support a range of Steelhead appliances and is available in the following physical form factor(s):

- A. Desktop, 1U and 3U
- B. 1U and 3U
- C. 3U only
- D. 1U only
- E. 1U, 2U, 3U

Correct Answer: D

---

### QUESTION 3

A server side SteelHead deployment is to be out-of-path (SSOOP). Which of the below are limitations compared to physical or virtual in-path? (Choose two.)

- A. Auto discovery is not supported.
- B. Port or full transparency is not supported.
- C. Only one SteelHead is supported on the server side.
- D. Data store synchronization is not possible.
- E. Only enhanced auto discovery can be used.

Correct Answer: AC

A: OOP configuration does not support auto-discovery. You must create a fixed-target rule on the clientside Steelhead.

C: An out-of-path deployment is generally located on the server-side and is often described as a server-side outof-path



deployment.

In an out-of-path deployment, only a SteelHead primary interface is required to connect to the network.

The SteelHead can be connected anywhere in the LAN. An out-of-path SteelHead deployment does not have a redirecting device. You configure fixed-target in- path rules for the client-side SteelHead. The fixed-target in-path rules point to the primary IP address of the out-of-path SteelHead. The out-of-path SteelHead uses its primary IP address when communicating to the server. The remote SteelHead must be deployed either in a physical or virtual in-path mode.

Incorrect:

Not D: You can use RiOS data store synchronization between the out-of-path SteelHeads for additional benefits in case of a failure.

Not E: OOP configuration does not support auto-discovery

References: SteelHead Deployment Guide Including the SteelCentral Controller for SteelHead Mobile, December 2014, page 352

<https://support.riverbed.com/bin/support/download?did=hcsksjojd701t4t8v5s5qomoj7>

---

#### QUESTION 4

When performing datastore synchronization between two Steelhead appliances, segments of data are exchanged between them. Which interfaces can be used for datastore synchronization? (Select 2)

- A. In-path
- B. Primary
- C. Auxiliary
- D. WAN
- E. Remote

Correct Answer: BC

---

#### QUESTION 5

Login to the CMC appliance can be authenticated against what type servers? (Select 3)

- A. RADIUS
- B. Local



C. XAUTH

D. TACACS+

E. Kerberos

Correct Answer: ABD

[Latest 101-01 Dumps](#)

[101-01 PDF Dumps](#)

[101-01 Practice Test](#)