



101^{Q&As}

Application Delivery Fundamentals

Pass F5 101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official
Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What are two examples of failover capabilities of BIG-IP? (Choose two)

- A. failing over based on an over temperature alarm
- B. failing over serial cable based on electric failure code
- C. II failing over network connection based on heartbeat detection
- D. fading over network connection based on SNMP error
- E. failing over serial cable based on voltage detection

Correct Answer: CE

QUESTION 2

A BIG-IP Administrator wants to send packets from one subnet to another.

What device is required to allow this to function?

- A. switch
- B. Router
- C. HUP
- D. Bridge

Correct Answer: B

QUESTION 3

To make complex access policies easier to manage, an administrator can create a _____ containing several policy actions, and then add instances of it within the policy? (Fill in)

- A. Visual Policy Editor
- B. Policy Editor
- C. Visual Editor
- D. Policy creator

Correct Answer: A

QUESTION 4



Without creating a user defined region, what is the most specific group a topology record can identify?

- A. city
- B. country
- C. continent
- D. state/province
- E. region of country

Correct Answer: D

QUESTION 5

A site has assigned the ICMP monitor to all nodes and a custom monitor, based on the HTTP template, to a pool of web servers. The HTTP-based monitor is working in all cases. The ICMP monitor is failing for 2 of the pool member 5 nodes. All other settings are default. What is the status of the monitor is working in all cases?

What is the status of the pool members?

- A. All pool members are up since the HTTP-based monitor is successful.
- B. All pool members are down since the ICMP-based monitor is failing in some cases.
- C. The pool members whose nodes are failing the ICMP-based monitor will be marked disabled.
- D. The pool members whose nodes are failing the ICMP-based monitor will be marked unavailable.

Correct Answer: D

[Latest 101 Dumps](#)

[101 PDF Dumps](#)

[101 Braindumps](#)