117-201 Q&As

Linux Advanced Administration

Pass Lpi 117-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/117-201.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Which of the following commands can be used to access the content of a ramdisk file (/boot/initrd) used by the kernel at boot time?

A. mount /boot/initrd /mnt/ -0 loop; cat /mnt

B. mkintird -d /boot/initrd; mount /boot/initrd /mnt/ -o loop

C. cp /boot/initrd /tmp/initrd.gz; mount /tmp/initrd /mnt/ -o loop

D. cp /boot/initrd /tmp/initrd.gz; gunzip initrd.gz; mount /tmp/initrd /mnt/ -o loop

E. cp /boot/initrd /tmp/initrd.gz; gunzip initrd.gz; mount /tmp/initrd /mnt/

Correct Answer: D

QUESTION 2

WhereshouldtheLILOcodereside, onasystemwithonlyoneinstallationofLinuxandnootheroperatingsystems?

A. In the master boot record

B. In the boot sector

C. In the /boot directory

D. At the start of the kernel

Correct Answer: A

QUESTION 3

A Linux server is running in single user mode, but the problem that existed before is now fixed. What command is most appropriate to restore the server to service?

A. reboot

B. telinit 2

C. shutdown -r now

D. telinit 3

E. shutdown -h now

Correct Answer: D

QUESTION 4

To securely use dynamic DNS updates, the use of TSIG is recommended. Which TWO statements about TSIG are true?

A. TSIG is used for zone data encryption

B. TSIG is a signal to start a zone update

C. TSIG is used in zone files

D. TSIG is used only in server configuration

E. Servers using TSIG must be in sync (time zone!)

Correct Answer: DE

QUESTION 5

A GRUB boot loader installed in the MBR was accidentally overwritten. After booting with a rescue CDROM, how can the lost GRUB first stage loader be recovered?

A. Use dd to restore a previous backup of the MBR

B. Install LILO since there is no easy way to recover GRUB

C. Running mformat will create a new MBR and fix GRUB using info from grub.conf

D. Run grub-install after verifying that grub.conf is correct.

E. Run fdisk --mbr /dev/had assuming that the boot harddisk is /dev/hda.

Correct Answer: D

117-201 PDF Dumps 117-201 Exam Questions 117-201 Braindumps