



117-201^{Q&As}

Linux Advanced Administration

Pass home 117-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/117-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What command is used to re-add a partition to a software RAID setup?

- A. raidhotadd
- B. raidadd
- C. addraid
- D. raidaddhot

Correct Answer: A

QUESTION 2

The users of the local network complain that name resolution is not fast enough. Enter the command, without the path or any options, that shows the time taken to resolve a DNS query.

Correct Answer: dig

QUESTION 3

Which command will prevent the service ldap from starting on a Debian system in all runlevels, forcing the removal of all symlinks in /etc/rcX.d? (Provide the command without any options or parameters)

Correct Answer: update-rc.d

QUESTION 4

When configuring a new kernel, what file under /usr/src/linux/ contains the configuration?

Correct Answer: config

QUESTION 5

After unpacking the source code for a Linux kernel, what is the first make command that should be run which will delete any current configuration and all generated files? This command will ensure that no inappropriate files were left in the kernel archive by the maintainer.

- A. make depend
- B. make distclean
- C. make config



D. make clean

E. makemrproper

Correct Answer: B

[117-201 PDF Dumps](#)

[117-201 Practice Test](#)

[117-201 Exam Questions](#)