



156-115.77^{Q&As}

Check Point Certified Security Master

Pass CheckPoint 156-115.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/156-115-77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When a cluster member is completely powered down, how will the other member identify if there is network connectivity?

- A. The working member will ARP for the default gateway.
- B. The working member will look for replies to traffic sent from internal hosts.
- C. The working member will automatically assume connectivity.
- D. The working member will Ping IPs in the subnet until it gets a response.

Correct Answer: D

QUESTION 2

Since R76 GAiA, what is the method for configuring proxy ARP entries for manual NAT rules?

- A. WebUI or add proxy ARP ... commands via CLISH
- B. SmartView Tracker
- C. local.arp file
- D. SmartDashboard

Correct Answer: A

QUESTION 3

"If the machine is under stress, we do not want to leave the stress condition due to a single measurement (which could be an anomaly), but rather wait for a given length of time, before changing the condition." ...describes which of the following "Bypass under Load" setting kernel parameters?

- A. ids_assume_stress
- B. ide_tolerance_no_stress
- C. ids_tolerance_stress
- D. ids_timeout

Correct Answer: A

QUESTION 4

Which of the following BEST describes the command fw ctl chain function?



- A. View how CoreXL is distributing traffic among the firewall kernel instances.
- B. View established connections in the connections table.
- C. View the inbound and outbound kernel modules and the order in which they are applied.
- D. Determine if VPN Security Associations are being established.

Correct Answer: C

QUESTION 5

Your company has recently decided to allow remote access for clients. You find that no one is able to connect, although you are confident that your rule set and remote access community has been defined correctly. What is the most likely cause, based on the options below? You have the following debug file:



```
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] TCPTConnection::NewIncomingConnection
: New incoming connection: 68, tunnel: 92 peer: 172.26.247.20
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] IkeTcptDataHandler: Received 328 by
tes on tunnel 92 for connecton 68 (peer: 172.26.247.20)
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] TCPTConnection::HandleIncomingData:
Received 328 bytes on TCPT Connection 68 (peer: 172.26.247.20, tunnel: 92)
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] fwisakmpd_process_incoming_data: Re
ceived TCPT packet from 172.26.247.20 (port: 0) len: 328
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] GetEntryIsakmpObjectsHash: received
ipaddr: 14f71aac as key, found fwobj: NULL
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] getConfiguredIkeVersion: RA configu
red to use ikev2 only (peer: 172.26.247.20).
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] Message::Message: New incoming requ
est from original responder with message id 0
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] Message::Message: i-spi: 28ae2ef1dd
98272e, r-spi: 0000000000000000, next: 1, version: 16, ex type: 2, flags: 0 (enc
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] fwisakmpd_process_incoming_data: re
ceived a packet of an unsupported ike version for peer 172.26.247.20 (packet ver
sion: ikev1, configured version: ikev2)
```

©2014 Check Point Software Technologies Ltd.

11

- B. You have selected IKEv2 only in Global Properties > Remote Access > VPN Authentication and Encryption.
- C. Remote access clients are all behind NAT devices.
- D. Implied rule is not set to accept control connections.

Correct Answer: B

[Latest 156-115.77 Dumps](#)

[156-115.77 PDF Dumps](#)

[156-115.77 Exam Questions](#)