



156-115.80^{Q&As}

Check Point Certified Security Master - R80

Pass CheckPoint 156-115.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/156-115-80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following commands can be used to see the list of processes monitored by the Watch Dog process?

- A. cpwd_admin list
- B. ps -ef | grep watchd
- C. cpstat fw -f watchdog
- D. fw ctl get str watchdog

Correct Answer: A

Reference: <https://community.checkpoint.com/thread/8054-cpwdadmin-list-overview-sms>

QUESTION 2

What is the purpose of a Management server?

- A. The sole purpose of the Management server is to store the log files sent by the Security Gateways.
- B. The Management server manages, creates, stores, and distributes the security policy to Security Gateways. It also functions as the Certificate Authority of all managed Check Point products.
- C. The Management server provides the connector for the GUI client and uses exclusively port 257/tcp.
- D. The Management server only functions as the Certificate Authority of all managed Check Point products.

Correct Answer: B

Reference: https://sc1.checkpoint.com/documents/R80/CP_R80_SecMGMT/html_frameset.htm?topic=documents/R80/CP_R80_SecMGMT/101062

QUESTION 3

Which daemon is used for Geo protection?

- A. in.geod
- B. cphamcset
- C. fwd
- D. cpd

Correct Answer: A

Reference: https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit_doGoviewsolutiondetails=&andsolutionid=sk97638



QUESTION 4

Which of the following is NOT a special consideration while running fw monitor on production firewall?

- A. While executing fw monitor, you need to specify an expression so that it captures the required traffic instead of all traffic
- B. While running fw monitor on a busy firewall, the `-ci` and `-co` switches can be used to limit the number of packets captured
- C. While running fw monitor, it resets all the debug flags
- D. During a fw monitor, the firewall will have to process more packets because SecureXL acceleration should be disabled

Correct Answer: C

QUESTION 5

Consider the IPv6 address: 2101:0DA0:080B:4114:0000:0000:0000:0001. According to IPv6 IP shortening rules, what address can this be shortened to?

- A. 2101:0DA0:080B:4114::8:0
- B. 2101:0DA0:80B:4114::0
- C. 2101:0DA0:080B:4114::8:1
- D. 2101:0DA0:80B:4114::1

Correct Answer: D

[Latest 156-115.80 Dumps](#)

[156-115.80 Exam Questions](#)

[156-115.80 Braindumps](#)