



156-115.80^{Q&As}

Check Point Certified Security Master - R80

Pass CheckPoint 156-115.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/156-115-80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the recommended command to manually initiate a failover on a cluster member in HA?

- A. Perform a cpstop on the standby member
- B. Perform a clusterXL_admin down on the standby member
- C. Perform a cpstop on the active member
- D. Perform a clusterXL_admin down on the active member

Correct Answer: D

Reference: https://sc1.checkpoint.com/documents/R81/WebAdminGuides/EN/CP_R81_CLI_ReferenceGuide/Topics-CLIG/CXLG/Initiating-Manual-Cluster-Failover.htm

QUESTION 2

Which of the following is NOT a feature of ClusterXL?

- A. Transparent upgrades
- B. Zero downtime for mission-critical environments with State Synchronization
- C. Enhanced throughput in all ClusterXL modes (2 gateway cluster compared with 1 gateway)
- D. Transparent failover in case of device failures

Correct Answer: C

Reference: https://sc1.checkpoint.com/documents/R76/CP_R76_ClusterXL_AdminGuide/7292.htm

QUESTION 3

During firewall kernel debug with fw ctl zdebug you received less information than expected. You noticed that a lot of messages were lost since the time the debug was started. What should you do to resolve this issue?

- A. Increase debug buffer; Use fw ctl debug -buf 32768
- B. Redirect debug output to file; Use fw ctl zdebug -o ./debug.elg
- C. Increase debug buffer; Use fw ctl zdebug -buf 32768
- D. Redirect debug output to file; Use fw ctl debug -o ./debug.elg

Correct Answer: A

Reference: https://sc1.checkpoint.com/documents/R80.40/WebAdminGuides/EN/CP_R80.40_PerformanceTuning_AdminGuide/Content/Topics-PTG/Kernel-Debug/Kernel-DebugProcedure.htm



QUESTION 4

Which templates for SecureXL are not enabled by default?

- A. All templates are disabled by default
- B. Accept and NMR
- C. Drop and NAT
- D. All templates are enabled by default

Correct Answer: C

Reference: https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit_doGoviewsolutiondetails=&andsolutionid=sk71200

QUESTION 5

Which command would you use to check CoreXL instances for IPv6 traffic?

- A. fwaccel6 stats
- B. fwaccel6 stat
- C. fw ctl multik stat
- D. fw6ctl multik stat

Correct Answer: C

[156-115.80 PDF Dumps](#)

[156-115.80 VCE Dumps](#)

[156-115.80 Practice Test](#)