



156-915.80^{Q&As}

Check Point Certified Security Expert Update - R80.10

Pass CheckPoint 156-915.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/156-915-80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In which case is a Sticky Decision Function relevant?

- A. Load Sharing ?Multicast
- B. Load Balancing ?Forward
- C. High Availability
- D. Load Sharing ?Unicast

Correct Answer: C

QUESTION 2

Fill in the blank.

```
C:\> arp -  
  
Interface: 10.4.8.108 on Interface 0x4  
  
Internet Address      Physical Address      Type  
10.4.8.1              00-b0-d0-b7-b5-d5    dynamic  
10.4.8.2              00-01-03-34-e3-9d    dynamic  
10.4.8.3              00-01-03-34-e3-9d    dynamic
```

In New Mode HA, the internal cluster IP VIP address is 10.4.8.3. An internal host 10.4.8.108 successfully pings its Cluster and receives replies. Review the ARP table from the internal Windows host 10.4.8.108. Based on this information, what is the active cluster member's IP address?

Correct Answer: 10.4.8.2

QUESTION 3

As a valid Mobile Access Method, what feature provides Capsule Connect/VPN?

- A. that is used to deploy the mobile device as a generator of one-time passwords for authenticating to an RSA Authentication Manager
- B. Full Layer4 VPN -SSL VPN that gives users network access to all mobile applications
- C. Full layer3 VPN -IPSec VPN that gives users network access to all mobile applications



D. You can make sure that documents are sent to the intended recipients only

Correct Answer: C

Reference: https://sc1.checkpoint.com/documents/R77/CP_R77_Mobile_Access_WebAdmin/82201.htm

QUESTION 4

You want to implement Static Destination NAT in order to provide external, Internet users access to an internal Web Server that has a reserved (RFC 1918) IP address. You have an unused valid IP address on the network between your Security Gateway and ISP router. You control the router that sits between the firewall external interface and the Internet.

What is an alternative configuration if proxy ARP cannot be used on your Security Gateway?

- A. Publish a proxy ARP entry on the ISP router instead of the firewall for the valid IP address.
- B. Place a static ARP entry on the ISP router for the valid IP address to the firewall's external address.
- C. Publish a proxy ARP entry on the internal Web server instead of the firewall for the valid IP address.
- D. Place a static host route on the firewall for the valid IP address to the internal Web server.

Correct Answer: B

QUESTION 5

All R80 Security Servers can perform authentication with the exception of one. Which of the Security Servers can NOT perform authentication?

- A. FTP
- B. SMTP
- C. HTTP
- D. RLOGIN

Correct Answer: B

[156-915.80 Practice Test](#)

[156-915.80 Study Guide](#)

[156-915.80 Braindumps](#)