



# 199-01<sup>Q&As</sup>

Riverbed Certified Solutions Professional

## Pass Riverbed 199-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/199-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

What are an Interceptor appliance's main functions? (Select 2)

- A. Provides a way to intercept and redirect interesting traffic for optimization
- B. Monitors multiple links and redirect interesting traffic over a cluster of Steelhead appliances in a logical in-path deployment
- C. Replaces any existing Layer 4 switch in a given environment
- D. Used to configure and work with WCCP and PBR
- E. Required component Steelhead appliances in all Steelhead appliance deployments

Correct Answer: AB

---

### QUESTION 2

Your Steelhead appliance deployment includes users accessing the Internet from branch offices with the traffic being back-hauled to the data center before going out to the Internet. However, HTTP latency optimization does not appear to be very effective, and in certain cases, is slower than without optimization. What settings might help with this Internet-bound traffic?

- A. Riverbed recommends you turn off URL Learning and Parse-and-Prefetch and only enable OPT
- B. Riverbed recommends you enable URL Learning and Parse-and-Prefetch and turn off OPT
- C. Riverbed recommends you turn off URL Learning and only enable Parse-and-Prefetch and OPT
- D. Riverbed recommends you turn off URL Learning, Parse-and-Prefetch, and OPT
- E. Riverbed recommends you enable URL Learning, Parse-and-Prefetch, and OPT

Correct Answer: A

---

### QUESTION 3

After deploying the Steelhead appliances in-path, you are not seeing any optimization between

10.11.0.128 and 10.11.23.18.



## LAN Trace

No. -	Time	Source	Port	Destination	Port	Protocol	Info
1	0.000000	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
2	2.011063	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
3	3.138376	10.11.0.128	32956	10.11.23.18	1235	TCP	32956 > 1235 [SYN] Seq=100
4	3.138611	10.11.23.18	1235	10.11.0.128	32956	TCP	1235 > 32956 [SYN, ACK] Seq=237
5	3.181405	10.11.0.128	32956	10.11.23.18	1235	TCP	32956 > 1235 [ACK] Seq=237
6	3.182068	10.11.23.18	32794	10.1.8.87	53	DNS	Standard query PTR 128.0.1
7	3.904659	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
8	5.851516	Cisco_34:7b:10		CDP/VTP/DTP/PAGP/UDLD		CDP	[Packet size limited durin

## WAN Trace

No. -	Time	Source	Port	Destination	Port	Protocol	Info
1	0.000000	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
2	2.011063	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
3	3.138314	10.11.0.128	32956	10.11.23.18	1235	TCP	32956 > 1235 [SYN] Seq=100
4	3.138483	10.11.23.18	1235	10.11.0.128	32956	TCP	1235 > 32956 [SYN, ACK] Seq=237
5	3.181302	10.11.0.128	32956	10.11.23.18	1235	TCP	32956 > 1235 [ACK] Seq=237
6	3.181949	10.11.23.18	32794	10.1.8.87	53	DNS	Standard query PTR 128.0.1
7	3.904564	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
8	5.851379	Cisco_34:7b:10		CDP/VTP/DTP/PAGP/UDLD		CDP	[Packet size limited durin
9	5.921533	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
10	7.924843	Cisco_34:7b:11		spanning-tree-(for-br		STP	Conf. Root = 33354/00:00:00:00:00:00
11	8.184806	10.0.24.18	22	10.16.67.70	1561	SSH	Encrypted response packet
12	8.678169	10.11.0.128	32956	10.11.23.18	1235	TCP	32956 > 1235 [PSH, ACK] Seq=237
13	8.678335	10.11.23.18	1235	10.11.0.128	32956	TCP	1235 > 32956 [ACK] Seq=237
14	8.678444	10.0.24.18	22	10.16.67.70	1561	SSH	Encrypted response packet

Look at the following trace in the exhibit and explain why: (HINT: Look at the SYN packet)

- A. There is a spanning-tree loop
- B. The cables are reversed
- C. The three way hand-shake is not being completed
- D. The client and servers are on the same /16 subnet
- E. There is no SYN/ACK from 10.11.23.18

Correct Answer: B

### QUESTION 4

What is the command to verify a configuration of the Interceptor peers and peer neighbors?

- A. verify interceptor deployment
- B. service verify
- C. debug validate deployment
- D. config checker

Correct Answer: C

### QUESTION 5



What is contained in the probe of the return SYN/ACK packet when using enhanced auto-discovery (EAD)?

- A. 4 bytes of notification
- B. 10 bytes of TCP inner channel setup + 2 bytes of notification
- C. 14 bytes of TCP inner channel setup + 4 bytes of notification
- D. 18 bytes of TCP inner channel setup + 4 bytes of notification
- E. 32 bytes of TCP inner channel setup + 2 bytes of notification

Correct Answer: C

[Latest 199-01 Dumps](#)

[199-01 VCE Dumps](#)

[199-01 Study Guide](#)