



# 199-01<sup>Q&As</sup>

Riverbed Certified Solutions Professional

## Pass Riverbed 199-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/199-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What is the default Load Balancing rule on an Interceptor appliance?

- A. Redirect
- B. Allow
- C. Auto
- D. Pass-through

Correct Answer: C

---

#### QUESTION 2

What is the supported redirection scheme/s used when a Steelhead appliance is in a WCCP deployment?

- A. GRE
- B. L2
- C. None
- D. Either GRE or L2

Correct Answer: D

---

#### QUESTION 3

Which of the following are examples of Networking policies on the CMC appliance? (Select 3)


- A. WCCP
- B. HighSpeed TCP
- C. Routing
- D. Port Labels
- E. HTTP Protocol

Correct Answer: ACD

---

#### QUESTION 4

-- Exhibit -- Exhibit -



```

4 7.490871 172.16.12.101 172.16.11.101 TCP 73 16581 > asf [PSH, ACK] Seq=1 Ack=1 Wln=65535 Len=7 TSval=1323431861 TSecr=132340617
5 7.534665 172.16.11.99 172.16.11.88 TCP 82 84 17677 > http [SYN] Seq=0 Win=0 Len=0 MSS=1460 Wln=0 SACK_PERM=1
6 7.534772 172.16.11.101 172.16.12.101 TCP 66 asf > 16581 [ACK] Seq=1 Ack=8 Wln=65535 Len=0 TSval=1323444010 TSecr=1323431861
7 7.534770 172.16.11.101 172.16.12.101 TCP 80 asf > 16581 [PSH, ACK] Seq=1 Ack=8 Wln=65535 Len=14 TSval=1323444010 TSecr=13234318
8 7.534770 172.16.11.101 172.16.12.101 TCP 73 asf > 16581 [PSH, ACK] Seq=15 Ack=8 Wln=65535 Len=7 TSval=1323444010 TSecr=13234318
9 7.534820 172.16.12.101 172.16.11.101 TCP 66 16581 > asf [ACK] Seq=8 Ack=22 Wln=65535 Len=0 TSval=1323431915 TSecr=1323444010
10 7.534886 172.16.12.101 172.16.11.101 TCP 80 16581 > asf [PSH, ACK] Seq=8 Ack=22 Wln=65535 Len=14 TSval=1323431915 TSecr=1323444

www.zeek.org/projects/zeek/zeek

[Stream Index: 1]
Sequence number: 0 (relative sequence number)
Header Length: 48 bytes
| Flags: 0x002 (SYN)
| Window size value: 8192
| [Calculated window size: 8192]
| Checksum: 0xf01d [validation disabled]
| Options: (28 bytes), Maximum segment size, no-operation (NOP), window scale, no-operation (NOP), no-operation (NOP), SACK permitted, RST/RED Probe,
| # Maximum segment size: 1460 bytes
| # no-operation (NOP)
| # Window scale: 2 (multiply by 4)
| # no-operation (NOP)
| # no-operation (NOP)
| # TCP SACK Permitted option: true
| # RST/RED Probe: Probe Query
| Length: 10
| 0000 .... = Type: 0
| .... 0001 = Version: 1
| Reserved
| CSN IP: 172.16.12.101 (172.16.12.101)
| Application version: 1
| # RST/RED Probe: Probe Query Info
| Length: 4
| 0000 110. = Type: 6
| .... ...0 = Version: 2
| # Probe flags: 0x01
| # no-operation (NOP)
| # End of Option List (EOLO)

```

Refer to the exhibit. According to the packet capture, what statements are true? (Select 2)

- A. This Steelhead appliance is configured with enhanced auto-discovery.
- B. This Steelhead appliance is configured with enhanced peering discovery.
- C. The SYN packet coming from 172.16.12.99 with a destination to 172.16.11.88 carries a probe of 10 bytes.
- D. The SYN packet coming from 172.16.12.99 with a destination to 172.16.11.88 carries a probe of 10 bytes + a 4 bytes notification message.

Correct Answer: AD

### QUESTION 5

In a virtual-inpath deployment, when the Steelhead appliance exports data to a flow data collector:

- A. All traffic has the LAN and WAN interface index.
- B. All traffic has the WAN interface index.
- C. All traffic has the LAN interface index.



D. All traffic has the primary interface index.

Correct Answer: B

[Latest 199-01 Dumps](#)

[199-01 PDF Dumps](#)

[199-01 Practice Test](#)