



1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1d0-437.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Consider the following code block:

```
BEGIN {print ("Jan ");}
```

```
BEGIN {print ("Feb ");}
```

```
END {print ("Mar ");}
```

```
END {print ("Apr ");} Print ("May ");
```

What is the result of this code block?

- A. Jan Feb May Apr Mar
- B. Jan Feb Mar Apr May
- C. Mar Apr May Jan Feb
- D. May Jan Feb Mar Apr

Correct Answer: A

QUESTION 2

Regular expressions are best used for which task?

- A. To perform arithmetic functions
- B. To determine whether a string matches a specific pattern
- C. To perform spelling checks within text files
- D. To output data to a text file

Correct Answer: B

QUESTION 3

Which one of the following choices lists the three loop-control commands?

- A. exit, last, loop
- B. next,first,lasr
- C. loop, exit, next
- D. redo, next, last

Correct Answer: D



QUESTION 4

Which one of the following statements opens a file for appending?

- A. `open(PASSWD, ">/etc/passwd");`
- B. `open(PASSWD ">/etc/passwd");`
- C. `open(PASSWD, ">>/etc/passwd");`
- D. `open(PASSWD "+>/etc/passwd");`

Correct Answer: C

QUESTION 5

Which statement is the most accurate?

- A. The push function adds elements to the beginning of an array.
- B. The push function removes the first element in an array.
- C. The pop function removes the first element in an array.
- D. The pop function removes the last element in an array.

Correct Answer: D

[1D0-437 PDF Dumps](#)

[1D0-437 Practice Test](#)

[1D0-437 Exam Questions](#)