



# 1D0-437<sup>Q&As</sup>

CIW PERL FUNDAMENTALS

## Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1d0-437.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which Perl debugger commands can be used to step through a script?

- A. b and d
- B. t and c
- C. s and n
- D. X and V

Correct Answer: C

---

### QUESTION 2

Consider the following program code:

```
%color = (sun => yellow, apple => red);  
reverse(%color);  
  
@colorKeys = sort(keys(%color));  
  
foreach (@colorKeys)  
{  
    print($color{$_} . );  
}
```

What is the result of executing this program code?

- A. The code will output the following: apple sun
- B. The code will output the following: sun apple
- C. The code will output the following: red yellow
- D. The code will output the following: apple red sun yellow

Correct Answer: C

---

### QUESTION 3

Which one of the following choices uses the correct syntax for a valid array assignment?

- A. @cities = Akron, Memphis, Ogden, Phoenix;
- B. @cities =~ ("Akron, Memphis");



C. @cities =~ (Akron, Memphis, Ogden, Phoenix);

D. @cities = ("Akron");

Correct Answer: D

---

#### QUESTION 4

Which of the following code segments correctly reads a database query, creating a valid statement handle and a result set? Assume \$dbh represents a valid database handle.

A. \$sth = \$dbh->prep\_statement(SELECT \* FROM aTable); \$sth->execute\_statement;

B. \$sth = \$dbh->prepare(SELECT \* FROM aTable); \$sth->execute;

C. \$sth = \$dbh->prep\_statement(SELECT \* FROM aTable); \$sth->execute;

D. \$sth = \$dbh->prepare\_statement(SELECT \* FROM aTable); \$sth->execute\_statement;

Correct Answer: B

---

#### QUESTION 5

Which one of the following statements opens a file for appending?

A. open(PASSWD, ">/etc/passwd");

B. open(PASSWD ">/etc/passwd");

C. open(PASSWD, ">>/etc/passwd");

D. open(PASSWD "+>/etc/passwd");

Correct Answer: C

---

[1D0-437 Study Guide](#)

[1D0-437 Exam Questions](#)

[1D0-437 Braindumps](#)