



# 1D0-635<sup>Q&As</sup>

CIW JavaScript Specialist

**Pass CIW 1D0-635 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1d0-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Assuming the function is called, which script block will display Hello Joe in the document window after you enter the name Joe?

- A. 

```
function DisplayName(void){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- B. 

```
function DisplayName(){var YourName = window.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- C. 

```
function DisplayName(void){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + YourName);}
```
- D. 

```
function DisplayName(){var YourName = document.prompt("What is your name?","Please enter your name");document.write("Hello " + yourname);}
```

Correct Answer: B

---

### QUESTION 2

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish():  

```
var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();
```

  
Which line of code initializes the XMLHttpRequest object?

- A. 

```
xmlhttp.send();
```
- B. 

```
var xmlhttp = new XMLHttpRequest();
```
- C. 

```
xmlhttp.open("GET", "fish.xml", true);
```
- D. 

```
xmlhttp.onreadystatechange = showFish();
```

Correct Answer: C

---

### QUESTION 3

You want to display a series of elements. Which choice demonstrates the correct syntax for an array in JavaScript?

- A. 

```
var myArray = Array(1,2,3,4,5)for (var i = 0; i " );
```
- B. 

```
var myArray = new Array(1,2,3,4,5)for (var i = 0; i " );
```
- C. 

```
var myArray = new Array(1,2,3,4,5)for (var i = 1; i " );
```
- D. 

```
var myArray = Array(1,2,3,4,5)for (var i = 1; i " );
```

Correct Answer: B

---



#### QUESTION 4

Consider the following statement:

for (X; Y; Z)

What does Z represent in this code?

- A. The counter variable
- B. The loop counter update expression
- C. The condition under which the loop will execute
- D. The highest value that the counter variable may reach

Correct Answer: B

---

#### QUESTION 5

Jane has created a file with commonly used JavaScript functions and saved it as "allFunctions.js" in the application's root directory. She wants to load this file into a Web page to access its functions. Which statement shows the correct syntax to do this?

- A.
- B.
- C.
- D.

Correct Answer: C

[Latest 1D0-635 Dumps](#)

[1D0-635 Practice Test](#)

[1D0-635 Study Guide](#)