



1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1d0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consider the following code:

```
var firstArray = ["John", "Paul", "George"]  
var secondArray = firstArray;  
secondArray[1] = "Ringo";  
alert(firstArray);
```

What is the output when you run this script in the browser?

- A. An alert box displaying the following: John, Paul, George, Ringo
- B. An alert box displaying the following: Ringo, John, Paul, George
- C. An alert box displaying the following: Ringo, Paul, George
- D. An alert box displaying the following: John, Ringo, George

Correct Answer: D

QUESTION 2

Suppose you define two variables as follows:

```
var x = 5;
```

```
var y = "5";
```

Which statement will return the mathematical sum of these variables?

- A. `alert(x + int(y));`
- B. `alert(x + parseInt(y));`
- C. `alert(x + y);`
- D. `alert((int)x + (int)y);`

Correct Answer: B

QUESTION 3

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish():
`var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();`
Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
- B. `var xmlhttp = new XMLHttpRequest();`



C. xmlhttp.open("GET", "fish.xml", true);

D. xmlhttp.onreadystatechange = showFish();

Correct Answer: C

QUESTION 4

Consider the following code:

```
var myString= "Hello World";
```

```
alert(myString.length);
```

What is the output when you run this script in the browser?

A. An alert box displaying the following: "Hello World", 11

B. An alert box displaying the following: myString, 11

C. An alert box displaying the following: Hello World

D. An alert box displaying the following: 11

Correct Answer: D

QUESTION 5

Consider the following code: When an invalid e-mail address is entered, an alert is displayed to the user, but the form submission is not interrupted. What changes need to be made to the script in order to abort the submission if an invalid e-mail address is entered?

```
<html>
<head>
<script type="text/javascript">
function validateEmail(emailField) {
if (emailField.value.indexOf("@") < 0) {
    alert("Invalid e-mail address");
}
}
</script>
</head>
<body>

<form name="myForm" action="confirmation.htm" onsubmit="return validateEmail(this.email

Name: <input type="text" name="userName" /> <br />
E-Mail Address: <input type="text" name="emailAddress" /><br />
<input type="submit" value="Submit" />
</form>
</body>
</html>
```



- A. Add return false after the alert() statement.
- B. Change return to validate in the function call.
- C. Add validate false after the alert() statement.
- D. Remove the return keyword from the function call and put it in front of the alert() statement.

Correct Answer: A

[Latest 1D0-635 Dumps](#)

[1D0-635 VCE Dumps](#)

[1D0-635 Braindumps](#)