



1D0-635^{Q&As}

CIW JavaScript Specialist

Pass CIW 1D0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1d0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When using AJAX, what is the purpose of the XMLHttpRequest object?

- A. To transfer an XML document to the Web server
- B. To request data from the Web server strictly in XML format
- C. To read and write to an XML file stored on the local machine
- D. To request either XML data or plaintext data from the Web server

Correct Answer: D

QUESTION 2

Suppose you define two variables as follows:

```
var x = 5;
```

```
var y = "5";
```

Which statement will return the mathematical sum of these variables?

- A. `alert(x + int(y));`
- B. `alert(x + parseInt(y));`
- C. `alert(x + y);`
- D. `alert((int)x + (int)y);`

Correct Answer: B

QUESTION 3

Consider the following code:

```
<script type="text/javascript">
var TheCounter = 15;
while (TheCounter > 0){
document.write("The count at this time is " + TheCounter + "<br/>");
TheCounter--;
}
</script>
```

What is the expected result when you run this script in the browser?

- A. There will be no visible output, but the script will count down to 0.
- B. The script will output a countdown from 15 to 0 in the client window.



C. The script will output a countdown from 15 to 1 in the client window.

D. The script will output 15, then 1, because it will only write the first and last values of a while? statement.

Correct Answer: C

QUESTION 4

Jane has created a file with commonly used JavaScript functions and saved it as "allFunctions.js" in the application\\'s root directory. She wants to load this file into a Web page to access its functions. Which statement shows the correct syntax to do this?

A.

B.

C.

D.

Correct Answer: C

QUESTION 5

Which of the following will correctly modify the value of an X/HTML element\\'s attribute within the DOM?

A. `getAttribute(NewValue, AttributeName)`

B. `getAttribute(AttributeName, NewValue)`

C. `setAttribute(NewValue, AttributeName)`

D. `setAttribute(AttributeName, NewValue)`

Correct Answer: D

[1D0-635 VCE Dumps](#)

[1D0-635 Practice Test](#)

[1D0-635 Study Guide](#)