



1K0-001^{Q&As}

Polycom Certified Videoconferencing Engineer (PCVE)

Pass Polycom 1K0-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1k0-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Polycom
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

802.3 MAC format is used for which type of network?

- A. Point to Point Serial Modems
- B. Asynchronous Transfer Mode
- C. Token Ring
- D. RS-530 and V.35
- E. Ethernet
- F. All of the above

Correct Answer: E

QUESTION 2

Using different color-temperature light sources will compromise which part of the camera performance?

- A. Brightness
- B. White Balance
- C. Field of View
- D. PTZ

Correct Answer: B

QUESTION 3

Which of the following describes frequency response?

- A. Ability to determine frequency content of a signal
- B. Ability of a device to respond to amplitude changes
- C. Ability of a circuit to define operating frequency limits
- D. Ability of a device to operate within defined frequency limits

Correct Answer: D

QUESTION 4

Which of the following correctly describe the role room acoustics play regarding acoustic echo cancellation?



- A. People moving around in a room change the acoustic paths presented to a microphone.
- B. Fans, heaters, and air conditioners add background noise to the room, changing the room acoustic paths.
- C. Hard room surfaces act as reflectors for sound, causing multiple acoustic paths from loudspeaker to microphone.
- D. Heavy drapes and acoustic absorbers remove acoustic paths and therefore cause problems for acoustic echo cancellers.

Correct Answer: AC

QUESTION 5

H.323 Media Gateways require H.323 Terminals, which wish to make calls through the Gateway to ISDN sites, to:

- A. perform a test with the other H.323 Terminals first
- B. be registered with the MCU first
- C. be registered with the Gatekeeper first
- D. call the Network administrator first
- E. be using a Gateway Prefix registered on an Active Gatekeeper
- F. be using a Gatekeeper Prefix defined on the End Point

Correct Answer: E

[1K0-001 PDF Dumps](#)

[1K0-001 Practice Test](#)

[1K0-001 Study Guide](#)