



# 1Y0-A21<sup>Q&As</sup>

Basic Administration for Citrix NetScaler 9.2

## Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-a21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which IP address type must be unique to each NetScaler in an HA pair?

- A. MIP
- B. NSIP
- C. SNIP
- D. Load balancing VIP

Correct Answer: B

---

#### QUESTION 2

Scenario: An administrator is attempting to force synchronization between two nodes in an HA setup. Once the synchronization is complete, the administrator receives a message.

In order to verify that the synchronization has been successful, the administrator should execute the \_\_\_\_\_ command. (Choose the correct option to complete the sentence.)

- A. show node
- B. show monitor
- C. show sync status
- D. show system status

Correct Answer: A

---

#### QUESTION 3

When planning a deployment, in which setup scenario must an administrator configure the NetScaler system as the default router for the servers in the environment?

- A. When USNIP is configured
- B. In a single subnet configuration
- C. In a two-arm mode configuration
- D. When USIP is configured for services

Correct Answer: D

---

#### QUESTION 4



Scenario: An administrator needs to configure SSL offloading on a NetScaler system. The administrator has already enabled SSL on the NetScaler, added the necessary service and added an SSL-based virtual server.

Which three additional steps must the administrator take to complete the SSL offloading configuration? (Choose three.)

- A. Create load balancing virtual servers.
- B. Bind the created service to the virtual server.
- C. Add a wildcard certificate to the virtual server.
- D. Add an SSL certificate key pair to the NetScaler.
- E. Bind the SSL certificate key pair to the virtual server.
- F. Obtain an SSL certificate from an authorized certificate authority (CA).

Correct Answer: BDE

---

#### QUESTION 5

Scenario: An administrator has set up four Web servers for load balancing. The administrator wants to monitor the response codes from the site to determine whether the site is up. The administrator has bound a custom HTTP monitor to the HTTP services. When the monitor is bound, the services go down so the administrator unbinds the monitor to bring the state of the services to UP. The administrator runs a HTTP header trace and finds that the site is responding with a redirect.

Which two options can the administrator use to get the service state to UP? (Choose two.)

- A. Create a new HTTP monitor with a 200 response code and bind it to the service.
- B. Create a new HTTP monitor with a longer response timeout and bind it to the service.
- C. Modify the custom HTTP monitor with the same redirect response code the site is sending and bind it to the service.
- D. Modify the custom HTTP monitor with the HTTP request going to a page that responds with a 200 response code and bind it to the service.

Correct Answer: CD

[1Y0-A21 PDF Dumps](#)

[1Y0-A21 Study Guide](#)

[1Y0-A21 Brindumps](#)