



# 1Y0-A21<sup>Q&As</sup>

Basic Administration for Citrix NetScaler 9.2

## Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-a21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

An administrator has enabled the load balancing and compression features on a NetScaler system and wants to create a compression policy to compress JavaScript pages using the GZIP format.

Which two CLI commands must the administrator use to create and associate the policy correctly? (Choose two.)

- A. rm cmp policy
- B. set cmp policy
- C. add cmp policy
- D. bind cmp global

Correct Answer: CD

---

### QUESTION 2

Scenario: An administrator plans to configure health checks for services bound to Web servers 1 and 2, which are listening on TCP port 80 for HTTP and TCP port 443 for HTTPS. Service1 receives the clear text traffic and Service2 receives the encrypted traffic. How should the administrator create the monitor for Service1 using the command line interface?

- A. set mon monitor-SVC1-Mon TCP -secure NO
- B. add lb mon monitor-SVC1-Mon HTTP -secure NO
- C. set mon monitor-SVC1-Mon HTTP -transparent YES
- D. add lb mon monitor-SVC1-Mon TCP -transparent YES

Correct Answer: B

---

### QUESTION 3

Which trap can an administrator set on a NetScaler system so that an alert is sent whenever an SNMP management application that does NOT have access privileges attempts to access a NetScaler?

- A. loginFailure
- B. accessFailure
- C. accessDenied
- D. authenticationFailure

Correct Answer: A

---

**QUESTION 4**

An administrator wants to configure a TCP service so that traffic can reach the associated server when the monitor assigned to the service is failing. Which attribute of the TCP service must the administrator configure to allow traffic to pass to the associated server in this scenario?

- A. Sure connect
- B. Access down
- C. TCP buffering
- D. Down state flush

Correct Answer: B

---

**QUESTION 5**

Scenario: A customer logged in as a user with superuser access rights and is making configuration changes on a NetScaler HA pair. After a few minutes, the customer notices that the changes are NOT visible on the GUI or CLI.

What is the customer doing incorrectly?

- A. The customer is not using the nsroot account.
- B. The customer has enabled fail safe on both nodes.
- C. The customer is making changes on the primary node.
- D. The customer is making changes on the secondary node.

Correct Answer: D

[Latest 1Y0-A21 Dumps](#)

[1Y0-A21 Exam Questions](#)

[1Y0-A21 Braindumps](#)