



1Y0-A21^{Q&As}

Basic Administration for Citrix NetScaler 9.2

Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-a21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When setting up a NetScaler system, an administrator can use the _____ to set the nsroot password. (Choose the correct option to complete the sentence.)

- A. Setup Wizard
- B. entity template
- C. SSL VPN Wizard
- D. passwd command
- E. set nsroot user command

Correct Answer: A

QUESTION 2

An administrator must first enable the _____ feature before a URL transformation policy can be used in a network environment. (Choose the correct option to complete the sentence.)

- A. rewrite
- B. responder
- C. content filtering
- D. URL transformation

Correct Answer: A

QUESTION 3

An administrator plans to configure a content filtering policy to drop trace and connect methods.

Which expression should an administrator use in the content filtering policy to explicitly drop trace and connect methods?

- A. REQ.HTTP.METHOD != TRACE || REQ.HTTP.METHOD != CONNECT
- B. REQ.HTTP.METHOD == TRACE || REQ.HTTP.METHOD == CONNECT
- C. REQ.HTTP.METHOD != TRACE andand REQ.HTTP.METHOD != CONNECT
- D. REQ.HTTP.METHOD == TRACE andand REQ.HTTP.METHOD == CONNECT

Correct Answer: B



QUESTION 4

Scenario: An administrator is configuring a NetScaler for a network environment where the back-end servers are located on different subnets. The administrator will need to configure the NetScaler to communicate with the different subnets.

Which two steps should the administrator take to maintain the communication between the NetScaler and the back-end servers? (Choose two.)

- A. Enable USIP mode.
- B. Enable Path MTU Discovery.
- C. Ensure USNIP mode is enabled.
- D. Configure SNIPs for the server subnets.

Correct Answer: CD

QUESTION 5

What can an administrator configure to perform a health check for a SVC1, which is transferring HTTPS traffic so that a probe is only sent when there is no traffic to the server?

- A. An HTTP monitor with the secure parameter selected
- B. An HTTP monitor with the transparent parameter selected
- C. An HTTP-Inline monitor with the secure parameter selected
- D. An HTTP-ECV monitor with the transparent parameter selected

Correct Answer: C

[1Y0-A21 PDF Dumps](#)

[1Y0-A21 VCE Dumps](#)

[1Y0-A21 Study Guide](#)