



# 1Y0-A21<sup>Q&As</sup>

Basic Administration for Citrix NetScaler 9.2

## Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-a21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What should an administrator configure on a NetScaler to remove server-side compression and enable compression on the NetScaler?

- A. Disable the compression feature (disable ns fea cmp).
- B. Enable Compress Push Packet (set cmp parameter -cmpOnPush enabled).
- C. Enable Allow Server-Side Compression (set cmp parameter -serverCmp on).
- D. Disable Allow Server-Side Compression (set cmp parameter -serverCmp off).

Correct Answer: D

---

### QUESTION 2

Scenario: An administrator needs to configure a NetScaler device so that a set of back-end servers in a LAN can initiate connections to the Internet. ACLs are configured in this environment. What must the administrator configure to meet the needs of this scenario?

- A. INAT on the servers in the LAN
- B. RNAT for the destination IP addresses
- C. NAT on the router to the NetScaler device
- D. RNAT for the subnet that includes the LAN IP addresses
- E. RNAT on the virtual servers bound to the servers in the LAN

Correct Answer: D

---

### QUESTION 3

Scenario: An administrator has created and configured services on load balanced virtual servers. The administrator then enabled the compression feature on a NetScaler deployment using the Configuration Utility. After adding additional services, the administrator decides to check the Dashboard for the compression statistics. However, when looking over the statistics, the administrator notices an extremely low count in the policy hit counter.

What could be causing the low count in the policy hit counter?

- A. The administrator did not bind the services to a virtual server.
- B. The administrator has not restarted the Dashboard after enabling the compression feature.
- C. The administrator has failed to manually enable compression for the services created prior to enabling the compression feature.
- D. The administrator failed to bind the HTTP services to an SSL load balancing virtual server, and failed to bind the SSL services to an HTTP load balancing virtual server.



Correct Answer: C

---

#### QUESTION 4

Scenario: An administrator is managing a network environment that contains five datacenters, all of which are in different areas of the same country. The administrator plans to configure the NetScaler system to load balance the datacenters so that they can be used for disaster recovery.

How should the administrator configure the NetScaler system for disaster recovery and to optimize the user experience?

- A. Enable HA and use cache load balancing.
- B. Enable HA and use server load balancing.
- C. Enable GSLB and use the proximity method.
- D. Enable GSLB and use the round robin method.

Correct Answer: C

---

#### QUESTION 5

Scenario: A customer logged in as a user with superuser access rights and is making configuration changes on a NetScaler HA pair. After a few minutes, the customer notices that the changes are NOT visible on the GUI or CLI.

What is the customer doing incorrectly?

- A. The customer is not using the nsroot account.
- B. The customer has enabled fail safe on both nodes.
- C. The customer is making changes on the primary node.
- D. The customer is making changes on the secondary node.

Correct Answer: D

[1Y0-A21 VCE Dumps](#)

[1Y0-A21 Study Guide](#)

[1Y0-A21 Brindumps](#)