



1Y0-A26^{Q&As}

Citrix XenServer 6.0 Administration

Pass Citrix 1Y0-A26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-a26.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: An administrator manages four XenServer hosts in a resource pool. To increase capacity, the administrator purchased one new host, which is a different CPU model, but from the same manufacturer. The administrator CANNOT add the new server to the existing pool.

What does the administrator need to use to force the host to join the existing pool?

- A. Command line
- B. Maintenance Mode
- C. Add to Pool Wizard
- D. Add Server Wizard

Correct Answer: A

QUESTION 2

Scenario: An administrator has to configure a small scale, isolated Provisioning services test environment. The administrator has placed a non-Microsoft DHCP server on the same server as Provisioning services, which is running the PXE Service.

Which DHCP option must the administrator configure to enable PXE functionality?

- A. 60
- B. 64
- C. 66
- D. 67

Correct Answer: A

QUESTION 3

Scenario: In an environment with high availability enabled, an administrator discovered that a host is unreachable in a XenServer pool. The administrator disabled high availability in order to make the host reachable.

Which xe CLI command can the administrator run to make the host reachable again?

- A. host-disable
- B. host-evacuate
- C. pool-designate-new-master
- D. pool-emergency-reset-master



Correct Answer: D

QUESTION 4

Scenario: An administrator notices a duplex mismatch on the network interface card (NIC) which is configured as the management interface. The administrator realizes that the switch was set to 100 full, but XenServer auto-configured the NIC to 100 half, autoneg=on.

How can the administrator ensure the XenServer host does NOT auto-configure the NIC in the future?

- A. Change the NIC properties in the xsconsole.
- B. Use the `xe pif-configure-ip` command to disable auto-configuration.
- C. Use the `xe pif-param-set` command to set `other-config:ethtool-autoneg=off`.
- D. Assign a new NIC to the management interface within the XenCenter Network tab.

Correct Answer: C

QUESTION 5

What is the last step required to enable the offline database within Provisioning services?

- A. Enable auditing.
- B. Enable automatic merge.
- C. Restart the SOAP Service.
- D. Restart the Stream Service.

Correct Answer: D

[Latest 1Y0-A26 Dumps](#)

[1Y0-A26 VCE Dumps](#)

[1Y0-A26 Exam Questions](#)