# 1Y0-A28<sup>Q&As</sup>

Implementing NetScaler 10 for Networking and Traffic Optimization

# Pass Citrix 1Y0-A28 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.passapply.com/1Y0-A28.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

Scenario: An engineer has three subnets configured on a NetScaler appliance. The engineer must only allow a certain group of users to access a virtual server on the appliance. The IT Manager requires that all rules are flexible and can be easily modified for ease of administration.

How could the engineer allow certain groups to access the virtual server while still being able to modify the setting in the future?

A. Add a Simple ACL.

B. Disable USNIP Mode.

C. Create an Extended ACL.

D. Add a Host Route to the virtual server.

Correct Answer: C

**QUESTION 2**

The network engineer would like all HTTP and HTTPS requests that travel through the NetScaler to have an HTTP header added with the source IP address for logging on the web servers. How should the network engineer accomplish this?

A. Enable Web Logging

B. Enable the client IP option

C. Configure the TCP Parameters

D. Enable the \\'Use Source IP mode\\'

Correct Answer: B

**QUESTION 3**

An network engineer is asked to perform an export of the captured trace output files as requested by Citrix Tech support. In which directory could the engineer retrieve the captured log files in the NetScaler system?

A. /var/log

B. /var/nstrace

C. /netscaler/log

D. /nsconfig/trace

Correct Answer: B

**QUESTION 4**

Scenario: A network engineer needs to configure Citrix NetScaler to provide Access Gateway services to VLAN 2 using interface 1/1 only, while also using interface 1/2 to provide load balancing services to VLAN 3.

How could this result be achieved?

A. Disable static route advertisement.

B. Disable layer 2 mode Create 2 untagged VLANs - VLAN 2 and VLAN 3 Bind VLAN 2 to Interface 1/1 Bind VLAN 3 to Interface 1/2

C. Enable Layer 3 mode Create a Channel Interface using Interface 1/1 and 1/2 Create 2 VMACs Bind a VMAC to interface 1/1 and 1/2

D. Configure policy-based routing using the Interface option as a filter.

Correct Answer: B

**QUESTION 5**

A network engineer has enabled USIP and USNIP and set a unique IP address as the source IP using the proxyIP parameter on an INAT policy. Which is the correct order of precedence for the IP addresses?

A. Unique IP-USIP-MIP-Error

B. USIP-unique IP-USNIP-MIP-Error

C. USIP-Unique IP-MIP-USNIP-Error

D. USIP-USNIP-MIP-Unique IP-Error

Correct Answer: B

Latest 1Y0-A28 Dumps          1Y0-A28 VCE Dumps          1Y0-A28 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

## Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: