1Z0-051^{Q&As}

Oracle Database 11g : SQL Fundamentals I

Pass Oracle 1Z0-051 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1Z0-051.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which tasks can be performed using SQL functions that are built into Oracle database? (Choose three.)

A. finding the remainder of a division

B. adding a number to a date for a resultant date value

C. comparing two expressions to check whether they are equal

D. checking whether a specified character exists in a given string

E. removing trailing, leading, and embedded characters from a character string

Correct Answer: ACD

QUESTION 2

Which best describes an inline view?

A. a schema object

B. a sub query that can contain an ORDER BY clause

C. another name for a view that contains group functions

D. a sub query that is part of the FROM clause of another query

Correct Answer: D

a sub query that is part of the FROM clause of another query

Incorrect answer:

A is not a schema object

B sub query can contain GROUP BY clause as well.

C does not necessary contains group functions

Refer: Introduction to Oracle9i: SQL, Oracle University Study Guide, 11-21

QUESTION 3

The following data exists in the PRODUCTS table:

PROD_ID PROD_LIST_PRICE

123456 152525.99

You issue the following query:

SQL> SELECT RPAD((ROUND(prod_list_price)), 10,\\'*\\')

FROM products

WHERE prod_id = 123456;

What would be the outcome?

A. 152526****

B. **152525.99

C. 152525**

D. an error message

Correct Answer: A

The LPAD(string, length after padding, padding string) and RPAD(string, length after padding, padding string) functions add a padding string of characters to the left or right of a string until it reaches the specified length after padding.

QUESTION 4

Which view should a user query to display the columns associated with the constraints on a table owned by the user?

A. USER_CONSTRAINTS

B. USER_OBJECTS

C. ALL_CONSTRAINTS

D. USER_CONS_COLUMNS

E. USER_COLUMNS

Correct Answer: D

Explanation: view the columns associated with the constraint names in the USER_CONS_COLUMNS view. Incorrect answer: A table to view all constraints definition and names B show all object name belong to user C does not display column associated E no such view

Refer: Introduction to Oracle9i: SQL, Oracle University Study Guide, 10-25

QUESTION 5

Which two statements are true regarding savepoints? (Choose two.)

A. Savepoints are effective only for COMMIT.

B. Savepoints may be used to ROLLBACK.

C. Savepoints can be used for only DML statements.

D. Savepoints are effective for both COMMIT and ROLLBACK.

E. Savepoints can be used for both DML and DDL statements.

Correct Answer: BC

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: