



# 1Z0-052<sup>Q&As</sup>

Oracle Database 11g: Administration Workshop I

## Pass Oracle 1Z0-052 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-052.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Evaluate the following code:

```
SALES=
  (DESCRIPTION =
    (ADDRESS= (PROTOCOL = tcp) (HOST=sales_server) (PORT=1521))
    (CONNECT_DATA= (SERVICE_NAME= sales)))
```

Which naming method creates the above code?

- A. Local naming
- B. External naming
- C. Directory naming
- D. Easy connect naming

Correct Answer: A

---

### QUESTION 2

Your database is functional with a peak load for the last one hour. You want to preserve the performance statistics collected during this period to be used for comparison when you analyze the performance of the database in the future.

What action would you take to achieve this task?

- A. Insert finding directives for ADDM tasks in the future.
- B. Create a baseline on a pair of snapshots spanning the peak-load period.
- C. Decrease the snapshot interval in the AWR to collect more snapshots during the peakload period.
- D. Set the snapshot retention period in the Automatic Workload Repository (AWR) to zero to avoid automatic purging of snapshots.

Correct Answer: B

---

### QUESTION 3

View the Exhibit and examine the initialization parameter settings.



```
SQL> show parameter target
```

NAME	TYPE	VALUE
-----	-----	-----
archive_lag_target	integer	0
db_flashback_retention_target	integer	1440
fast_start_io_target	integer	0
fast_start_mttr_target	integer	0
memory_max_target	big integer	0
memory_target	big integer	0
pga_aggregate_target	big integer	150M
sga_target	big integer	408M

Which three initialization parameters are to be set manually as they are not automatically tuned? (Choose three.)

- A. LOG\_BUFFER
- B. SORT\_AREA\_SIZE
- C. JAVA\_POOL\_SIZE
- D. STREAMS\_POOL\_SIZE
- E. DB\_16K\_CACHE\_SIZE
- F. DB\_KEEP\_CACHE\_SIZE

Correct Answer: AEF

---

#### QUESTION 4

Your database instance is started using the server parameter file (SPFILE). You executed a command to change the value of the LOG\_BUFFER initialization parameter:

```
ALTER SYSTEM SET LOG_BUFFER=32M SCOPE=BOTH;
```

What would be the outcome of this command?

- A. The command succeeds only if Automatic Memory Management is not enabled.
- B. The command succeeds, but you need to restart the database for changes to take effect.
- C. The command returns an error because the size of the redo log buffer cannot be changed dynamically.
- D. The parameter value is changed and it comes into effect as soon as space becomes available in the System Global Area (SGA).



Correct Answer: C

---

#### QUESTION 5

Where is an expdp operation tracked?

- A. dump files
- B. log files
- C. control file
- D. Automatic Diagnostic Repository (ADR)
- E. master table (MT)

Correct Answer: C

[1Z0-052 PDF Dumps](#)

[1Z0-052 Practice Test](#)

[1Z0-052 Study Guide](#)