



1Z0-053^{Q&As}

Oracle Database 11g: Administration II

Pass Oracle 1Z0-053 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-053.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which type of backup contains only the blocks that have changed since the last level 0 incremental backup?

- A. a cumulative level 1 backup
- B. a differential level 1 backup
- C. a full backup
- D. a whole backup

Correct Answer: A

QUESTION 2

Within a resource-plan definition, what differentiates a top-level plan from a subplan?

- A. A subplan has the PLAN_SUB parameter value set to SUB.
- B. A top-level plan has the GROUP_OR_PLAN parameter set to the name of the subplan in the resource-plan definition.
- C. There is no difference in the resource-plan definition.
- D. A subplan always has the CPU_MTH parameter value set to RATIO.
- E. The string TOP_LEVEL is appended to the name of top-level resource plans.

Correct Answer: C

QUESTION 3

If you lost your entire database, including the database spfile, control files, online redo logs, and database datafiles, what kind of recovery would be required with RMAN?

- A. Complete database recovery.
- B. Incomplete database recovery.
- C. Approximate database recovery.
- D. Archived database recovery.
- E. The database could not be recovered with RMAN.

Correct Answer: B



QUESTION 4

Which statements about the MEMORY_TARGET initialization parameter are true? (Choose all that apply.)

- A. MEMORY_TARGET can be increased up to the value of MEMORY_MAX_TARGET, if MEMORY_MAX_TARGET is set to a value greater than zero
- B. MEMORY_MAX_TARGET defaults to a value of zero if MEMORY_TARGET is not set
- C. MEMORY_TARGET represents the total amount of memory that can be allocated to SGA and PGA memory structures.
- D. MEMORY_TARGET is static and cannot be modified without shutting down the instance

Correct Answer: ABC

QUESTION 5

Which of the following parameters defines the location where Oracle should create archived redo logs?

- A. LOG_ARCHIVE_1
- B. LOG_DESTINATION_1
- C. LOG_ARCHIVED_DESTINATION_1
- D. LOG_ARCHIVE_DEST_1
- E. LOG_ARCHIVE_SOURCE_1

Correct Answer: D

[1Z0-053 VCE Dumps](#)

[1Z0-053 Practice Test](#)

[1Z0-053 Exam Questions](#)