

# 1Z0-061<sup>Q&As</sup>

Oracle Database 12c: SQL Fundamentals

### Pass Oracle 1Z0-061 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1Z0-061.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee


- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Examine the following Entity Relationship Model diagram:



Which three statements are true? (Choose three.)

- A. SKILL is a multi-valued attribute.
- B. YEARS\_EMPLOYED is a derived attribute.
- C. YEARS\_EMPLOYED is a key attribute.
- D. SKILL is a composite attribute.
- E. EMP\_ID is a key attribute.
- F. EMPLOYEE is a weak entity.

Correct Answer: ABE

#### **QUESTION 2**

You need to produce a report for mailing labels for all customers. The mailing label must have only the customer name and address. The CUSTOMERS table has these columns:

CUST\_ID. NUMBER(4). NOT NULL

CUST\_NAME. VARCHAR2(100). NOT NULL

CUST\_ADDRESS. VARCHAR2(150)



#### CUST\_PHONE. VARCHAR2(20)

Which SELECT statement accomplishes this task?

- A. SELECT \* FROM customers
- B. SELECT name, address FROM customers;
- C. SELECT id, name, address, phone FROM customers;
- D. SELECT cust\_name, cust\_address FROM customers;
- E. SELECT cust\_id, cust\_name, cust\_address, cust\_phone FROM customers;

Correct Answer: D

This answer provides correct list of columns for the output.

**Incorrect Answers** 

A:. This answer does not provide correct list of columns for the output. It is not required to show all columns of the table. Symbol "\*" is used in the SELECT command to substitute a list of all columns of the table.

B:. This answer does not provide correct list of columns for the output. There are not NAME and ADDRESS columns in the CUSTOMERS table.

C:. This answer does not provide correct list of columns for the output. There are not ID, NAME, ADDRESS or PHONE columns in the CUSTOMERS table.

E:. This answer does not provide correct list of columns for the output. It is not required to show all columns of the table.

OCP Introduction to Oracle 9i: SQL Exam Guide, Jason Couchman, p. 20-24 Chapter 1: Overview of Oracle Databases

#### **QUESTION 3**

Examine the data in the ORD\_ITEMS table:

| ORD NO | ITEM NO | QTY |
|--------|---------|-----|
|        | @       | »   |
| 1      | 111 200 | 10  |
| 1      | 222     | 20  |
| 1      | 388     | 30  |
| 2<br>2 | 833     | 30  |
| 2 📣    | 444     | 40  |
| 3      | 111     | 40  |
|        |         |     |

Evaluate the following query:

SQL>SELECT item\_no, AVG(qty) FROM ord\_items HAVING AVG(qty) > MIN(qty) \* 2 GROUP BY item\_no;



Which statement is true regarding the outcome of the above query?

A. It gives an error because the having clause should be specified after the group by clause.

B. It gives an error because all the aggregate functions used in the having clause must be specified in the select list.

C. It displays the item nos with their average quantity where the average quantity is more than double the minimum quantity of that item in the table.

D. It displays the item nos with their average quantity where the average quantity is more than double the overall minimum quantity of all the items in the table.

Correct Answer: C

#### **QUESTION 4**

View the Exhibits and examine the structure of the products and sales tables. Exhibit 1: Exhibit 2:

| Table PRODUCTS       |          |                |  |
|----------------------|----------|----------------|--|
| Name                 | Null?    | Туре           |  |
| PROD_ID              | NOT NULL | NUMBER(6)      |  |
| PROD_NAME            | NOT NUCE | VARCHAR2(50)   |  |
| PROD_DESC            | NOT NULL | VARCHAR2(4000) |  |
| PROD_CATEGORY        | NOT NULL | VARCHAR2(50)   |  |
| PROD_CATEGORY_ID     | NOT NULL | NUMBER         |  |
| PROD_UNIT_OF_MEASURE |          | VARCHAR2(20)   |  |
| SUPPLIER_ID          | NOT NULL | NUMBER(6)      |  |
| PROD_STATUS          | NOT NULL | VARCHAR2(20)   |  |
| PROD_LIST_PRICE      | NOT NULL | NUMBER(8,2)    |  |
| PROD_MIN_PRICE       | NOT NULL | NUMBER(8,2)    |  |

| Table SALES   |          |              |  |  |
|---------------|----------|--------------|--|--|
| Name          | Null?    | Туре         |  |  |
| PROD_ID       | NOTNULL  | NUMBER       |  |  |
| CUST_ID       | NOT NULL | NUMBER       |  |  |
| TIME_ID       | NOT NULL | DATE         |  |  |
| CHANNEL_ID    | NOT NULL | NUMBER       |  |  |
| PROMO_ID      | NOT NULL | NUMBER       |  |  |
| QUANTITY_SOLD | NOT NULL | NUMBER(10,2) |  |  |

Which two SQL statements would give the same output? (Choose two.)

A. SELECT prod\_id FROM productsINTERSECTSELECT prod\_id FROM sales;

B. SELECT prod\_id FROM productsMINUSSELECT prod\_id FROM sales;



- C. SELECT DISTINCT p.prod\_idFROM products p JOIN sales sON p.prod\_id=s.prod\_id;
- D. SELECT DISTINCT p.prod\_idFROM products p JOIN sales sON p.prod\_id s.prod\_id;

Correct Answer: AC

#### **QUESTION 5**

Examine the structure and data of the CUST\_TRANS table:

| CUST_TH | RANS     |      |             |
|---------|----------|------|-------------|
| Name    | Null     | 2    | Туре        |
|         |          |      | 19          |
| CUSTNO  | NOT      | NULL | CHAR(2)     |
| TRANSDA | ATE      | 0    | DATE        |
| TRANSAN | 4T       | BOV  | NUMBER(6,2) |
|         |          | SOL  |             |
| CUSTNO  | TRANSDA  | TE   | TRANSAMT    |
|         |          |      |             |
| 11      | 01-JAN-0 | 07   | 1000        |
| 22      | 01-FEB-0 | 07   | 2000        |
| 33      | 01-MAR-0 | 07   | 3000        |

Dates are stored in the default date format dd-mon-rr in the CUST\_TRANS table. Which three SQL statements would execute successfully?

A. SELECT transdate + \\'10\\' FROM cust\_trans;

- B. SELECT \* FROM cust\_trans WHERE transdate = \\'01-01-07\\';
- C. SELECT transamt FROM cust\_trans WHERE custno > \\'11\\\';
- D. SELECT \* FROM cust\_trans WHERE transdate=\\'01-JANUARY-07\\';
- E. SELECT custno + \\'A\\' FROM cust\_trans WHERE transamt > 2000;

Correct Answer: ACD

Latest 1Z0-061 Dumps

1Z0-061 Study Guide

1Z0-061 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee To ensure that you are spending on quality products, we provide 100%

money back guarantee for 30 days

from the date of purchase

#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © passapply, All Rights Reserved.