



1Z0-146^{Q&As}

Oracle Database 11g: Advanced PL/SQL

Pass Oracle 1Z0-146 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1Z0-146.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two reports can be retrieved by using the various procedures in the DBMS_METADATA PL/SQL package?
(Choose two.)

- A. DDL report for all objects dependent on a table
- B. DDL report for all the objects stored in a tablespace
- C. DDL report for all the invalidated objects in a schema
- D. data definition language (DDL) report for all the tables in a schema

Correct Answer: AD

QUESTION 2

View Exhibit1 and examine the structure of the EMPLOYEES table.

View the Exhibit2 and examine the PL/SQL block that you execute for displaying the last name and hire date of the employees in department ID 60.



Name	Null?	Type
EMPLOYEE_ID	NOT NULL	NUMBER (6)
FIRST_NAME		VARCHAR2 (20)
LAST_NAME	NOT NULL	VARCHAR2 (25)
HIRE_DATE	NOT NULL	DATE
JOB_ID	NOT NULL	VARCHAR2 (10)
SALARY	NOT NULL	NUMBER (8,2)
DEPARTMENT_ID	NOT NULL	NUMBER (4)

```
DECLARE
TYPE emp_rec IS RECORD
  (last_name VARCHAR2(25),
   hiredate   DATE);
TYPE emplist IS VARRAY(5) OF emp_rec;
V_arr_emp   emplist;
BEGIN
  V_arr_emp := emplist();
  SELECT last_name, hire_date BULK COLLECT INTO v_arr_emp
  FROM employees
  WHERE department_id = 60 ORDER BY hire_date DESC;
  FOR ctr IN v_arr_emp.FIRST..v_arr_emp.LAST LOOP
    DBMS_OUTPUT.PUT_LINE('Emp Name : ' ||
      v_arr_emp(ctr).last_name ||
      ' Hire Date : ' || v_arr_emp(ctr).hiredate);
  END LOOP;
END ;
```

Which statement is true about the outcome?

- A. It generates an error because RECORD type cannot be used with varrays.
- B. It generates an error because BULK COLLECT cannot be used with varrays.
- C. It executes successfully only if department ID 60 has five or less than five employees.
- D. It executes successfully even if department ID 60 has more than five employees by dynamically extending the varray.

Correct Answer: C

QUESTION 3

Examine the commands:



```
CREATE TYPE typ_course_tab IS VARRAY(5) OF VARCHAR2(20)
/
CREATE TYPE typ_course_nst
AS TABLE OF typ_course_tab
/
CREATE TABLE faculty
(faculty_id NUMBER(5),
faculty_name VARCHAR2(30),
courses typ_course_nst)
NESTED TABLE courses STORE AS course_stor_tab
/
INSERT INTO faculty
VALUES (101, '\\Jones\\', NULL);
UPDATE (SELECT courses FROM faculty WHERE faculty_id=101) SET courses =
typ_course_nst(11, '\\Oracle\\');
```

Which statement is true about the execution of these commands?

- A. All the commands execute successfully.
- B. Only the first two commands execute successfully.
- C. Only the first four commands execute successfully.
- D. Only the first three commands execute successfully.

Correct Answer: C

QUESTION 4

You created an application context successfully. The user OE was granted the EXECUTE privilege on the DBMS_SESSION package. The user receives this error while setting the value for an attribute within the context:

```
SQL> EXECUTE
DBMS_SESSION.SET_CONTEXT('\\SALES_ORDERS_CTX\\', '\\ACCOUNT_MGR\\', '\\OE\\');
BEGIN DBMS_SESSION.SET_CONTEXT('\\SALES_ORDERS_CTX\\', '\\ACCOUNT_MGR\\', '\\OE\\');
```



END;

*

ERROR at line 1:

ORA-01031: insufficient privileges

ORA-06512: at "SYS.DBMS_SESSION", line 94

ORA-06512: at line 1

What is the reason for this error?

- A. The context was created with a package name in the USING clause.
- B. The attribute can be set only in the package associated with the context.
- C. The package associated with the context did not exist at the time of creation of the context.
- D. The value for an attribute of a user-defined context can be set only by the ALTER SESSION command.

Correct Answer: B

QUESTION 5

Which two are major approaches that can be used to reduce the SQL injection by limiting user input? (Choose two.)

- A. Restrict users accessing specified web page.
- B. Use NUMBER data type if only positive integers are needed.
- C. Use dynamic SQL and construct it through concatenation of input values.
- D. In PL/SQL API, expose only those routines that are intended for customer use.

Correct Answer: AD

[Latest 1Z0-146 Dumps](#)

[1Z0-146 VCE Dumps](#)

[1Z0-146 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.