



Oracle9i program with pl/sql

Pass Oracle 1Z0-147 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1Z0-147.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which command must you issue to allow users to access the UPD_TEAM_STAT trigger on the TEAM table?

A. GRANT SELECT, INSERT, UPDATE, DELETE ON TEAM TO PUBLIC;

- B. GRANT SELECT, INSERT, UPDATE, DELETE ON UPD_TEAM_STAT TO PUBLIC;
- C. GRANT EXECUTE ON TEAM TO PUBLIC
- D. GRANT SELECT, EXECUTE ON TEAM, UPD_TEAM_STAT TO PUBLIC;

Correct Answer: A

QUESTION 2

Which statements are true? (Choose all that apply.)

A. If errors occur during the compilation of a trigger, the trigger is still created.

B. If errors occur during the compilation of a trigger you can go into SQL*Plus and query the USER_TRIGGERS data dictionary view to see the compilation errors.

C. If errors occur during the compilation of a trigger you can use the SHOW ERRORS command within iSQL*Plus to see the compilation errors.

D. If errors occur during the compilation of a trigger you can go into SQL*Plus and query the USER_ERRORS data dictionary view to see compilation errors.

Correct Answer: ACD

QUESTION 3

You want to create a PL/SQL block of code that calculates discounts on customer orders. This code will be invoked from several places, but only within the program unit ORDERTOTAL. What is the most appropriate location to store the code that calculates the discount?

- A. a stored procedure on the server
- B. a block of code in a PL/SQL library
- C. a standalone procedure on the client machine
- D. a block of code in the body of the program unit ORDERTOTAL

E. a local subprogram defined within the program unit ORDERTOTAL

Correct Answer: E



QUESTION 4

Which two tables or views track object dependencies? (Choose two).

- A. USER_DEPENDENCIES
- B. USER_IDEPTREE
- C. IDEPTREE
- D. USER_DEPTREE
- E. USER_DEPENDS

Correct Answer: AC

QUESTION 5

Why do you use an INSTEAD OF trigger?

- A. to perform clean up actions when ending a user session
- B. to insert data into a view that normally does not accept inserts
- C. to insert into an audit table when data is updated in a sensitive column
- D. to modify data in which the DML statement has been issued against an inherently non-updateable view

Correct Answer: D

Latest 1Z0-147 Dumps

<u>1Z0-147 PDF Dumps</u>

1Z0-147 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © passapply, All Rights Reserved.