



# 1Z0-238<sup>Q&As</sup>

Oracle EBS R12: Install

## Pass Oracle 1Z0-238 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-238.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

What does the /resource directory contain in Oracle Applications?

- A. product-specific GIF files
- B. .pll files used by Oracle Reports
- C. .pll and .plx files used by Oracle Forms
- D. SQL scripts used by Oracle Applications products at run time

Correct Answer: C

---

### QUESTION 2

Which two values must be set for changing the temporary directory for log and output files from the PL/ SQL concurrent program? (Choose two.)

- A. TMP\_DIR variable
- B. APPLPTMP variable
- C. APPLTMP parameter
- D. Utl\_file\_dir parameter

Correct Answer: BD

---

### QUESTION 3

Your patch was applied and finished without encountering any error during the process. Which is NOT a correct part of the postpatch process?

- A. updating the MLS
- B. removing any obsolete files
- C. restarting all server processes
- D. cleaning up the log, restarting and out directories
- E. pinning packages and sequences in the System Global Area
- F. performing any manual steps on the basis of readme.txt of the patch
- G. using the Change Maintenance Mode option of AD Administration to enable maintenance mode

Correct Answer: G

---



#### QUESTION 4

Praveen performed a single-node installation of Oracle Applications R12 on a Linux server. After a few days, he got one more server with the HP operating system. To use resources of both the servers, he decided to move the database tier to the new HP server. Identify the correct sequence of steps that he needs to perform to successfully move the database tier.

1.

Start up the database and listener.

2.

Shut down only application tier services.

3.

Export the database from the Linux server by using the exp utility.

4.

Install fresh 10g software on the HP server.

5.

Create an empty database on the HP server.

6.

Import data into empty database on HP server using the imp utility.

7.

Copy only the \$ORACLE\_HOME database from the Linux server to the HP server.

8.

Run AutoConfig on the database tier after changing the \$CONTEXT\_FILE.

9.

Shut down all services of Oracle Applications R12.

10.

Enable database for AutoConfig.

11.

Copy the data files and \$ORACLE\_HOME database from the Linux server to the HP server.

12.

Run AutoConfig on the application tier after changing the \$CONTEXT\_FILE.

A. 11, 1, 10, 8, 12



- B. 9, 7, 3, 6, 1, 12, 8
- C. 9, 11, 1, 8, 10, 12
- D. 4, 1, 11, 6, 1, 8, 12
- E. 2, 4, 5, 3, 6, 10, 8, 12

Correct Answer: E

---

#### QUESTION 5

The adovars.env file specifies the location of different types of files, by using various environment variables. Identify three parameters that are part of this environment file. (Choose three.)

- A. FND\_TOP
- B. OAH\_TOP
- C. JRE\_TOP
- D. JAVA\_TOP
- E. CLASSPATH
- F. OA\_JAVA\_TOP
- G. SH\_LIBRARY\_PATH

Correct Answer: BDE

[Latest 1Z0-238 Dumps](#)

[1Z0-238 Study Guide](#)

[1Z0-238 Braindumps](#)