



Oracle Linux 6 Implementation Essentials

Pass Oracle 1Z0-460 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1z0-460.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

View the exhibits.

x86 54 (1 CP	U)						
84:43:21 PM	CPU	*user	%nice	*system	*iowait	%steal	Ridle
84:43:23 PM	all	36.82	0.00	50.25	0.80	0.00	12.94
84:43:25 PM	all	34.67	0.00	50.25	0.00	0.00	15.08
4:43:27 PM	all	33.50	0.00	52.00	0.00	0.00	14.50
4:43:29 PM	all	32.16	0.00	52.26	0.00	0.00	15.58
4:43:31 PM	all	31.16	0.00	50.25	0.00	0.00	18.55
Average:	all	33.67	0.00	51.00	0.00	0.00	15.33

top - 16:39:07 up 1 day, 2:34, 2 users, load average: 1.41, 0.64, 0.33 Tasks: 140 total, 2 running, 138 sleeping, 0 stopped, 0 zombie Cpu(s): 36.0%us, 50.7%sy, 0.0%ni, 13.3%id, 0.0%wa, 0.0%hi, 0.0%si, 0.0%s Mem: 2056568k total, 1635148k used, 421420k free, 41452k buffers Swap: 4128764k total, 0k used, 4128764k free, 567176k cached											
1210	USER	9R	NI	VIRT	RES	SHR	S	BCPU	RMEM	TIME+	COMMAND
	root	20	Θ	1886m	575m	22m	R	73.4	28.6	94:17.31	npviewer.bin
instruction and the	root	20	Θ	150m	45m	11m	S	6.0	2.2	2:48.36	Xorg
	root	9	-11	495m	5044	3540	S	3.0	0.2	37:44.45	pulseaudio
5859	root	20	Θ	879m	171m	29m	5	2.7	8.5	10:27.23	firefox
5113	root	20	Θ	318m	14m	8368	S	2.0	0.7	7:06.51	plugin-containe
1	root	20	Θ	19376	1508	1212	S	0.0	0.1		
2	root	20	0	Θ	Θ	Θ	5	0.0	0.0	0:00.00	kthreadd
3	root	20	Ø	Θ	0	Θ	S	0.0	0.0	0:03.91	ksoftirgd/0
5	root	20	Θ	Θ	0	Θ	S	0.0	0.0		kworker/u:0
6	root	RT	Θ	Θ	O	Θ	S	0.0	0.0		migration/0
7	root	RT	Θ	Θ	0	Θ	5	0.0	0.0		watchdog/0
8	root	Θ	-20	Θ	0	Θ	S	0.0	0.0	0:00.00	

Examine the output of sar command and the top command in the Exhibits. Which statement is the correct interpretation of this data?

A. The system is running low on swap space and memory.

B. CPU is Idle and the system has plenty of free memory available.

C. The CPU utilization is high and one process is using most of the CPU.

D. The system is idle with very little memory, CPU, and I/O utilization.

Correct Answer: C

From the top exhibit we see that npviewer.gin uses 73.4% of the available CPU.

Note:

*

sar - Collect, report, or save system activity information.



The sar command writes to standard output the contents of selected cumulative activity counters in the operating system. The accounting system, based on the values in the count and interval parameters, writes information the specified number of times spaced at the specified intervals in seconds.

sar u 2 5

Report CPU utilization for each 2 seconds. 5 lines are displayed.

QUESTION 2

Which two statements are correct about the Oracle ASMLib library?

A. Oracle ASMLib is an optional support library for the Automatic Storage Management (ASM) feature.

B. To use ASMLib library, you have to recompile it first for the Unbreakable Enterprise Kernel.

C. Oracle Automatic Storage management (ASM) requires Oracle ASMLib library to function completely.

D. Oracle ASMLib kernel driver is included in the Unbreakable Kernel.

Correct Answer: AD

A (not C): ASMLib is an optional support library for the Automatic Storage Management feature of the

Oracle Database.

ASMLib allows an Oracle Database using ASM more efficient and capable access to the disk groups it is using.

D (not B): The Oracle ASMLib kernel driver is now included in the Unbreakable Enterprise Kernel. No

driver package needs to be installed when using this kernel.

QUESTION 3

Identify the option with two files that are found in the /etc/sysconfig directory.

- A. /etc/sysconfig/autofs and/etc/sysconfig/authconfig
- B. /etc/sysconfig/ifcfg-eth0 and/etc/sysconfig/atd
- C. /etc/sysconfig/resolv.conf and/etc/sysconfig/network
- D. /etc/sysconfig/resolv.conf and/etc/sysconfig/grub.conf

Correct Answer: A



The /etc/sysconfig/autofs file defines custom options for the automatic mounting of devices.

The /etc/sysconfig/authconfig file sets the kind of authorization to be used on the host.

Note: * /etc/sysconfig/network

Used to configure networking options.

Incorrect: Not C, Not D:

* The program that resolves hostnames to IP addresses reads a file called resolv.conf. This file is located in /etc/resolv.conf directory.

QUESTION 4

View the cron job example below. How often will this cron job run? 0 */ 5 * * * command

- A. every 5 minutes
- B. every 5 hours
- C. every 5 days
- D. every 5th month
- Correct Answer: B

Execute a cron job every 5 Hours

The second field is for hours. If you specify * in this field, it runs every hour. If you specify */5 in the 2nd field, it runs every 5 hours as shown below. 0 */5 * * * /home/ramesh/backup.sh

QUESTION 5

The ASMlib on Linux us designed to _____.

- A. Make managing ASM volume easier.
- B. Make managing ASM volumes easier and provide a performance improvement over ASM volumes alone.
- C. Provide load balancing across multiple volumes.
- D. Allow the user to list contents of the volume from the OS command line.
- Correct Answer: B

ASMLib is an optional support library for the Automatic Storage Management feature of the Oracle

Database.



ASMLib allows an Oracle Database using ASM more efficient and capable access to the disk groups it is

using.

1Z0-460 VCE Dumps

1Z0-460 Exam Questions

1Z0-460 Braindumps