



1Z0-485^{Q&As}

Oracle Exadata Database Machine

Pass Oracle 1Z0-485 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-485.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Identify a recommended configuration to set up Auto Service Request (ASR) for Exadata.

- A. Install ASR Manager on Exadata Database Server.
- B. Install ASR Manager on Exadata Storage Server.
- C. ASR is not recommended for Exadata; the Oracle Configuration Manager is preferred.
- D. Install ASR Manager on a Standalone Server.

Correct Answer: D

QUESTION 2

Which three statements are true about Automatic Degree of Parallelism (Auto DOP) on Exadata?

- A. Auto DOP is an exclusive feature in Exadata, which allows the database optimizer to evaluate each statement and run it in parallel without special hints.
- B. Auto DOP is disabled by default and must be enabled before SQL statements can take advantage of its features.
- C. Auto DOP is enabled by default on Oracle 11gR2, allowing full use of its features.
- D. Oracle's Auto DOP algorithms calculate the Degree of Parallelism based on the table's block counts.
- E. SQL statements that take advantage of Auto DOP can be identified by using data from Oracle Automatic Workload Repository (AWR) or Enterprise Manager's Monitored SQL Executions page.

Correct Answer: BDE

QUESTION 3

Which table compression technique will not work on Exadata without licensing the Oracle Advanced Compression Option?

- A. COMPRESS
- B. COMPRESS BASIC
- C. COMPRESS FOR OLTP
- D. COMPRESS FOR QUERY
- E. COMPRESS FOR ARCHIVE

Correct Answer: C



QUESTION 4

You are concerned about how recovery from a failed Exadata Storage Server would work. Which statement is true about the Exadata CELLBOOT USB?

- A. Exadata automatically copies OS binaries and configuration files from another cell during patching to sync the internal USB.
- B. Regular Exadata Storage Server patches make sure that the internal USB is updated so that it can be used for recovery.
- C. Changes to network configuration files are possible without using ipconf.pl as long as all relevant files are updated.
- D. Some space from the CELLBOOT USB is used for cache metadata when write back flash cache is enabled.
- E. Each patch that is performed on Exadata storage servers requires manual resync of the CELLBOOT USB.

Correct Answer: AC

QUESTION 5

The Exadata compute node, exadbs04, has been having issues for some time. The server had to be repaired and you just received a new server. Your LVM snapshot was corrupt and now the compute node must be re-image with an Oracle Support installation image. Which three tasks would you need to perform to re-image the compute node?

- A. Mount the LVM backup image across the network and recover the system.
- B. Remove exadbs04 from the RAC cluster and all associated Oracle Homes from the central inventory.
- C. Create a CELLBOOT USB Flash Drive using an external USB drive.
- D. Reboot the new server using a bootable recovery image from the external USB drive.
- E. Reconfigure all site-specific settings (host name, IP addresses, NTP server, and so on).

Correct Answer: BCE

[Latest 1Z0-485 Dumps](#)

[1Z0-485 PDF Dumps](#)

[1Z0-485 Exam Questions](#)