



1Z0-485^{Q&As}

Oracle Exadata Database Machine

Pass Oracle 1Z0-485 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-485.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about CellCLI?

- A. Using a CellCLI command, you can change the SNMP subscribers or add multiple SNMP subscribers.
- B. Using CellCLI, you can stop and start the ASM instances that are using the grid disks on the Exadata storage cell.
- C. With a simple CellCLI command, you can synchronize changes to all the storage cells in the Exadata realm.
- D. Using a CellCLI command, you can see whether grid disks are being used by ASM or not.
- E. You cannot use CellCLI to gather the serial numbers of physical disks.

Correct Answer: BD

QUESTION 2

Identify the relevant steps in the correct order for activating an Auto Service Request (ASR) configuration.

1.
Add SNMP traps manually or using OneCommand.
2.
Install ASR Manager.
3.
Activate a node on ASR Manager.
4.
Validate the configuration.
5.
Register ASR Manager with Oracle.

- A. 2, 5, 1, 3, and 4
- B. 2, 4, 1, 3, and 5
- C. 5, 2, 4, 1, and 3
- D. 5, 4, 2, 1, and 3

Correct Answer: A

QUESTION 3



A control file tracks the physical components of a database. It is the root file that the database uses to find all the other files used by the database. Because of the importance of the control file, Oracle recommends that the control file be _____?

- A. size constrained, to prevent size overruns
- B. multiplexed, or have multiple identical copies
- C. stored on an HA USB Drive, to ensure that it does not get overwritten
- D. managed by EM12c, to ensure proper maintenance

Correct Answer: D

QUESTION 4

You are concerned about how recovery from a failed Exadata Storage Server would work. Which statement is true about the Exadata CELLBOOT USB?

- A. Exadata automatically copies OS binaries and configuration files from another cell during patching to sync the internal USB.
- B. Regular Exadata Storage Server patches make sure that the internal USB is updated so that it can be used for recovery.
- C. Changes to network configuration files are possible without using ipconf.pl as long as all relevant files are updated.
- D. Some space from the CELLBOOT USB is used for cache metadata when write back flash cache is enabled.
- E. Each patch that is performed on Exadata storage servers requires manual resync of the CELLBOOT USB.

Correct Answer: AC

QUESTION 5

Which Exadata feature eliminates unnecessary data transfers between database nodes and storage?

- A. database views
- B. InfiniBand networking
- C. Flash Cache
- D. high performance SAS2 disk drives
- E. cell offloading

Correct Answer: C