



1Z0-485^{Q&As}

Oracle Exadata Database Machine

Pass Oracle 1Z0-485 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-485.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about CellCLI?

- A. Using a CellCLI command, you can change the SNMP subscribers or add multiple SNMP subscribers.
- B. Using CellCLI, you can stop and start the ASM instances that are using the grid disks on the Exadata storage cell.
- C. With a simple CellCLI command, you can synchronize changes to all the storage cells in the Exadata realm.
- D. Using a CellCLI command, you can see whether grid disks are being used by ASM or not.
- E. You cannot use CellCLI to gather the serial numbers of physical disks.

Correct Answer: BD

QUESTION 2

The Exadata compute node, exadbs04, has been having issues for some time. The server had to be repaired and you just received a new server. Your LVM snapshot was corrupt and now the compute node must be re-image with an Oracle Support installation image. Which three tasks would you need to perform to re-image the compute node?

- A. Mount the LVM backup image across the network and recover the system.
- B. Remove exadbs04 from the RAC cluster and all associated Oracle Homes from the central inventory.
- C. Create a CELLBOOT USB Flash Drive using an external USB drive.
- D. Reboot the new server using a bootable recovery image from the external USB drive.
- E. Reconfigure all site-specific settings (host name, IP addresses, NTP server, and so on).

Correct Answer: BCE

QUESTION 3

Which is a best practice for High Availability (HA) in an Exadata environment?

100% Real QandAs | 100% Real Pass

- A. Checksums performed on the Exadata Storage Server ensure logical consistency of block content.
- B. When a standby database is in place, DB_BLOCK_CHECKING is not required and thus not recommended.
- C. Oracle Exadata Storage Server Software HARD checks operate transparently after enabling DB_BLOCK_CHECKSUM on a database.
- D. Due to the different architecture that Exadata has with storage servers, compared to regular Storage Area Network, DB_LOST_WRITE_PROTECT need not be set.
- E. Stretched RAC is the best alternative for Exadata that combines both HA and DR into one.



Correct Answer: C

QUESTION 4

The mpstat output from OS Watcher shows a database node as being 90% idle on an average. What would you do to get a full picture of CPU utilization on the entire Exadata RAC cluster?

- A. Average the mpstat id1 output from all the nodes.
- B. Ask application users if they have noticed a slowdown in screen response.
- C. Look for an increase in batch job servicing times.
- D. A and B above

Correct Answer: A

QUESTION 5

You are concerned about how recovery from a failed Exadata Storage Server would work. Which statement is true about the Exadata CELLBOOT USB?

- A. Exadata automatically copies OS binaries and configuration files from another cell during patching to sync the internal USB.
- B. Regular Exadata Storage Server patches make sure that the internal USB is updated so that it can be used for recovery.
- C. Changes to network configuration files are possible without using ipconf.pl as long as all relevant files are updated.
- D. Some space from the CELLBOOT USB is used for cache metadata when write back flash cache is enabled.
- E. Each patch that is performed on Exadata storage servers requires manual resync of the CELLBOOT USB.

Correct Answer: AC

[1Z0-485 VCE Dumps](#)

[1Z0-485 Practice Test](#)

[1Z0-485 Exam Questions](#)