



1Z0-510^{Q&As}

Oracle ATG Web Commerce 10 Implementation Developer Essentials

Pass Oracle 1Z0-510 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-510.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Identify three methods that are supported by the Out of the Box Form handler RepositoryFormHandler.

- A. RepositoryFormHandler does not provide any methods.
- B. Create
- C. Delete
- D. Select
- E. Update
- F. Select All

Correct Answer: BCE

RepositoryFormHandler Submit Operations

The RepositoryFormHandler supports the following operations for form submission:

*

create

Creates a repository item based on the value set in the form and adds it to the repository. If the repositoryId property is specified in the form, the new item is created with the given repository ID; otherwise, an auto-generated ID is used.

*

delete

Deletes from the repository the item specified by repositoryId.

*

update

Updates the item described by repositoryId from the form values.

Note: RepositoryFormHandler

Web application forms are commonly used to view and update database data. The `atg.repository.servlet.RepositoryFormHandler` class provides methods and properties for working with repository items. You can use a component of this class to add, update, and delete repository items that use the same item descriptor. A `RepositoryFormHandler` can be used with any repository type: HTML, XML, LDAP, and SQL.

QUESTION 2

What must be configured to share all gift lists across all sites?

- A. `set /atg/commerce/gifts/GiftlistManager.siteScope=all`



- B. Make GiftlistManager extend atg.multisite.ShareableSiteGroup.
- C. Register GiftListManager with the ATG\\'s SiteManager as Sharable using BCC.
- D. Gift lists cannot be shared and are specific to a given site.

Correct Answer: A

The /atg/commerce/gifts/GiftlistManager component has a siteScope property that controls how gift lists are shared between sites.

QUESTION 3

Which three options are BASE form handlers that provide a clean mechanism to implement a custom form handler?

- A. EmptyFormHandler
- B. GenericFormHandler
- C. CartCheckoutFormHandler
- D. ProfileFormHandler
- E. TransactionaFormHandler

Correct Answer: ABE

Subclassing ATG Form Handlers

Oracle ATG Web Commerce form handler classes all implement the interface atg.droplet.DropletFormHandler. Three form handler base classes implement this interface:

*

atg.droplet.EmptyFormHandler

*

atg.droplet.GenericFormHandler

*

atg.droplet.TransactionaFormHandler

You can create a form handler by extending one of these classes or any of their subclasses. er:

QUESTION 4

What must you configure for ATG to charge the payment on the first shipment?

- A. Configure settlementStep in PaymentManager.
- B. This is handled OOTB. ATG always settles on last shipment in accordance with PCI compliance



- C. Configure SettleOnFirstShipment on OrderFulfiller.
- D. Nothing. ATG assumes settlement was done when order was placed.
- E. Write custom code in HardgoodFulfiller

Correct Answer: C

The order is settled (paid for) according to the value of the settleOnFirstShipment property. If this property is true, the order is settled after the first shipping group in the order ships. If this property is false, the order is settled after the last shipping group in the order ships.

Note: The OrderFulfiller class handles the start of the fulfillment process and is responsible for the routing of various requests made to the fulfillment subsystem. In a sense, the OrderFulfiller is the hub of communication relating to fulfillment. The order to be fulfilled is received through a SubmitOrder message and is handled by the handleSubmitOrder method . The OrderFulfiller is responsible for farming out FulfillOrderFragment messages to the various fulfillers interested in pieces of the order.

Different fulfillers such as HardgoodFulfiller receive the FulfillOrderFragment message and begin processing of the shipping groups specified within.

QUESTION 5

In a multisite environment, what is the default sharing behavior of user profiles?

- A. They are shared across all the sites.
- B. They are not shared and hence are separate across the sites.
- C. They can be configured into groups that specify the sharing behavior.
- D. There is no default behavior. It needs to be custom designed and implemented.

Correct Answer: A

User profiles (and therefore logins) are always shared across all sites in the application.

Note: In the simplest case, these sites may share only user profiles, so a customer registered on one site is also registered on the other. In more complex implementations, the sites may share shopping carts, so a customer can include items from both sites in a single order. The bargain-brand site might also include upsell recommendations for (and links to) items on the luxury brand site, or the sites might share gift lists.

[Latest 1Z0-510 Dumps](#)

[1Z0-510 Practice Test](#)

[1Z0-510 Study Guide](#)