1Z0-593^{Q&As}

Oracle Real Application Clusters 11g Essentials

Pass Oracle 1Z0-593 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1Z0-593.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Select two Clusterware administration tasks that must be performed as the root user.

A. List the location of the voting disks.

B. Check the health and viability of the Clusterware on all nodes.

C. Disable the Clusterware from automatic start at node reboot.

D. Start the Clusterware manually on one node.

E. Check the health of the Clusterware on one node.

Correct Answer: CD

QUESTION 2

When installing the Oracle Database with OUI, when are configuration scripts executed?

A. Before installation begins

B. After prerequisites check finished

C. After the software has been installed

D. Automatically throughout the installation process

Correct Answer: C

If prompted, execute the root.sh script as the root user to complete the installation, and click OK. Note:

* Oracle Universal Installer (OUI)

Reference: Oracle Database Client Installation Guide

QUESTION 3

Which option should you use to find out if the Oracle Inventory directory exists in a Linux/UNIX environment?

A. # show /etc/oraInst.loc

B. # more /etc/oraInst.loc

C. # more /etc/oraInst

D. # more oraInst.loc

Correct Answer: B

When you install Oracle software on the system for the first time, the Installer creates the oraInst.loc file. This file

identifies the name of the Oracle Inventory group and the path of the Oracle Inventory directory. To determine whether the Oracle Inventory group exists, enter the following command:

more /etc/oraInst.loc

QUESTION 4

Which two statements about the SRVCTL utility are correct?

A. SRVCTL must be run from the RAC database ORACLE_HOME/bin directory when used to manage that dababase.

B. The SRVCTL command cannot be used to manage Oracle Grid Infrastructure.

C. Every command requires an object on which to operate.

D. A comma-delimited list should be enclosed in single quotes.

Correct Answer: AC

A: Always use SRVCTL from the Oracle_home of the database that you are administering.

C: SRVCTL expects the following command syntax:

srvctl command object options

Incorrect:

Not B: Guidelines for Using SRVCTL in Oracle Real Application Clusters Not D: On the Windows platform, when specifying a comma-delimited list, you must enclose the list within double-quotes ("...,...").

QUESTION 5

How do you enable automatic backup of the OCR?

A. With the ocrconfig autobackup command

B. With the ocrconfig -backup command

C. With the ocrconfig -backuploc command

D. You don\\'t have to enable this, Oracle Clusterware does it automatically

Correct Answer: D

Automatic backup of OCR is done by CRSD process and every 3 hours.

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: