



# 1Z0-858<sup>Q&As</sup>

Java Enterprise Edition 5 Web Component Developer Certified  
Professional Exam

## Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-858.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A web application allows the HTML title banner to be set using a servlet context initialization parameter called titleStr. Which two properly set the title in this scenario? (Choose two.)

- A. `${titleStr}`
- B. `${initParam.titleStr}`
- C. `${params[0].titleStr}`
- D. `${paramValues.titleStr}`
- E. `${initParam["titleStr"]}`
- F. `${servletParams.titleStr}`
- G. `${request.get("titleStr")}`

Correct Answer: BE

---

### QUESTION 2

You have built a web application with tight security. Several directories of your webapp are used for internal purposes and you have overridden the default servlet to send an HTTP 403 status code for any request that maps to one of these directories. During testing, the Quality Assurance director decided that they did NOT like seeing the bare response page generated by Firefox and Internet Explorer. The director recommended that the webapp should return a more user-friendly web page that has the same look-and- feel as the webapp's search engine. You have created this JSP page in the / WEB-INF/jsp/error403.jsp file. You do NOT want to alter the complex logic of the default servlet. How can you declare that the web container must send this JSP page whenever a 403 status is generated?

- A. `403/WEB-INF/jsp/error403.jsp`
- B. `403/WEB-INF/jsp/error403.jsp`
- C. `403/WEB-INF/jsp/error403.jsp`
- D. `403/WEB-INF/jsp/error403.jsp`

Correct Answer: C

---

### QUESTION 3

The JSP developer wants a comment to be visible in the final output to the browser. Which comment style needs to be used in a JSP page?

- A.
- B.
- C.



D.

Correct Answer: A

#### QUESTION 4

Click the Exhibit button.

A servlet sets a session-scoped attribute product with an instance of com.example.Product and forwards to a JSP.

Which two output the name of the product in the response? (Choose two.)

```
1. package com.example;
2.
3. public class Product {
4.     private String name;
5.     private double price;
6.
7.     public Product() {
8.         this( "Default", 0.0 );
9.     }
10.
11.     public Product( String name, double
price ) {
12.         this.name = name;
13.         this.price = price;
14.     }
15.
16.     public String getName() {
17.         return name;
18.     }
19.
20.     public void setName(String name) {
21.         this.name = name;
22.     }
23.
24.     public double getPrice() {
25.         return price;
26.     }
27.
28.     public void setPrice(double price) {
29.         this.price = price;
30.     }
31. }
```

A. \${product.name}

B.

C.

D.

E.



Correct Answer: AB

---

#### QUESTION 5

All of your JSPs need to have a link that permits users to email the web master. This web application is licensed to many small businesses, each of which have a different email address for the web master. You have decided to use a context parameter that you specify in the deployment descriptor, like this:

42.

43.

webmasterEmail

44.

master@example.com

45.

Which JSP code snippet creates this email link?

A. [contact us](#)

B. [contact us](#)

C. [contact us](#)

D. [contact us](#)

Correct Answer: D

[1Z0-858 Practice Test](#)

[1Z0-858 Study Guide](#)

[1Z0-858 Braindumps](#)