



1Z0-874^{Q&As}

MySQL 5.0 Database Administrator Certified Professional Exam, Part II

Pass Oracle 1Z0-874 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1z0-874.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following best describes how the relay log works?

- A. It records the times when the slave connects to the master.
- B. When a slave receives a change from the master, it is recorded in the relay log first and processed later.
- C. When a slave receives a change from the master, it is processed first and then recorded in the relay log.

Correct Answer: B

QUESTION 2

Which of the following statements about MEMORY tables are true?

- A. Creating many MEMORY tables should be avoided.
- B. It is OK to store large amounts of data in MEMORY tables.
- C. MEMORY tables should not be used to store large amounts of data.
- D. The number of MEMORY tables on a server will not cause any performance problems.

Correct Answer: D

QUESTION 3

```
mysql> EXPLAIN SELECT * FROM City WHERE CountryCode = '\\USA\\'G ***** 1. row  
***** id: 1 select_type: SIMPLE table: City type: ALL possible_keys: NULL key: NULL
```

key_len: NULL ref: NULL rows: 4079 Extra: Using where What does it mean that the possible_keys column value is NULL?

- A. No index is considered available for this query.
- B. No index exists for the table you are querying.
- C. You are not making use of any available indexes in your query.

Correct Answer: A

QUESTION 4

Which of the following best describes the purpose of the record buffer (as controlled through the read_buffer_size variable), and how it is set?

- A. The record buffer is set per connection.



- B. The record buffer is used for operations such as ORDER BY or GROUP BY.
- C. The record buffer is global and is only set by restarting the server.
- D. The record buffer is used to perform sequential table scans, reducing the number of reads from disk.

Correct Answer: C

QUESTION 5

What type of resource limitations may be placed on a user account with the GRANT statement?

- A. The number of times per hour that an account is allowed to connect to the server
- B. The number of queries per hour an account is allowed to issue
- C. The number of updates per hour an account is allowed to issue
- D. The maximum number of simultaneous connections an account can have
- E. Resource limits can only be specified globally, not per-account
- F. MySQL does not have provisions for limiting resource usage

Correct Answer: F

[1Z0-874 Practice Test](#)

[1Z0-874 Exam Questions](#)

[1Z0-874 Braindumps](#)