



# 1Y0-230<sup>Q&As</sup>

Citrix NetScaler 12 Essentials and Unified Gateway

## Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-230.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which mode does a Citrix Administrator need to configure in order to allow the NetScaler to forward any packets that are NOT destined for an IP address which is NOT configured on NetScaler?

- A. Layer 3
- B. USIP
- C. Layer 2
- D. MAC-based Forwarding

Correct Answer: C

Reference: <https://docs.citrix.com/en-us/netscaler/10-1/ns-gen-nsvpx-wrapper-con-10/ns-gen-sys-setwrapper/ns-gen-config-mod-pkt-fwd-intro.html>

---

### QUESTION 2

Scenario: IT administrators working from remote locations, need to connect securely to internal Windows servers to manage the servers. Below are the connection requirements: The remote client devices must be locked down, preventing installation of any additional software Users must authenticate at Citrix Gateway and Citrix Gateway must perform Single Sign-on to the Windows servers Connection capabilities (for example, client drive mapping) must be controlled by Citrix Gateway

Which connection method can a Citrix Administrator configure to meet these requirements?

- A. RDP Proxy
- B. Clientless VPN
- C. Full VPN
- D. Micro VPN

Correct Answer: A

Reference: <https://docs.citrix.com/en-us/netscaler-gateway/12/rdp-proxy.html>

---

### QUESTION 3

Scenario: A Citrix Administrator needs to configure a NetScaler Gateway virtual server in order to meet the security requirements of the organization. The administrator needs to configure timeouts for end-user sessions, to be triggered by the following behaviors:

-Inactivity for at least 15 minutes -No keyboard or mouse activity for at least 15 minutes

Which two timeout settings can the administrator configure to meet the requirements? (Choose two.)

- A. Client Idle Time-out set to 15



- B. Forced Time-out set to 15
- C. Client Idle Time-out set to 900
- D. Session Time-out set to 15
- E. Session Time-out set to 900
- F. Forced Time-out set to 900

Correct Answer: CE

---

#### QUESTION 4

Which reason would account for uneven user connections on a back-end server using the default load-balancing method?

- A. Persistence is enabled
- B. Application resource utilization is uneven
- C. Incorrect load-balancing method is selected
- D. Multiplexing is disabled

Correct Answer: A

---

#### QUESTION 5

Scenario: A Citrix Administrator has a Citrix ADC SDX with four VPX instances configured. The SDX has a 10GB bandwidth license that has been configured with dedicated bandwidth of 2 GB for each instance. However, the administrator found that three instances do NOT ever reach the bandwidth limit, while one instance reaches the limit and needs 1 GB more bandwidth to accommodate increased traffic requests. What can the administrator change on the instance that requires more bandwidth, to meet traffic requirements?

- A. Configure LA channel to increase the bandwidth
- B. Configure burst capacity of 1 GB with priority 10
- C. Purchase a SDX license to increase the bandwidth on the instances
- D. Configure burst capacity on the instance adding 1 GB of bandwidth with burst priority 0

Correct Answer: D

[Latest 1Y0-230 Dumps](#)

[1Y0-230 PDF Dumps](#)

[1Y0-230 VCE Dumps](#)