1Y0-230^{Q&As}

1Y0-230^Q&As

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/1y0-230.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

🔧 **Instant Download** After Purchase

🔧 **100% Money Back** Guarantee

🔧 **365 Days** Free Update

🔧 **800,000+** Satisfied Customers

QUESTION 1

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure. What could be the cause of this issue with the Citrix ADCs?

A. HA monitoring is enabled on a disabled interface of the Primary Node

B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN

C. Independent network configuration (INC) mode is enabled

D. HA heartbeats are only seen on some enabled interfaces of the Secondary Node

Correct Answer: D

QUESTION 2

Scenario: A Citrix Administrator needs to configure a NetScaler Gateway virtual server in order to meet the security requirements of the organization. The administrator needs to configure timeouts for end-user sessions, to be triggered by the following behaviors:

-Inactivity for at least 15 minutes -No keyboard or mouse activity for at least 15 minutes

Which two timeout settings can the administrator configure to meet the requirements? (Choose two.)

A. Client Idle Time-out set to 15

B. Forced Time-out set to 15

C. Client Idle Time-out set to 900

D. Session Time-out set to 15

E. Session Time-out set to 900

F. Forced Time-out set to 900

Correct Answer: CE

QUESTION 3

Scenario: A Citrix Administrator was notified that all contractor user IDs will start with the prefix "con." Currently SmartControl is used to restrict access to peripherals.

Which expression can the administrator use to accomplish this requirement?

A. HTTP.REQ.USERNAME.CONTAINS("con").NOT

B. HTTP.REQ.USER.IS_MEMBER_OF("con").NOT

C. HTTP.REQ.USER. IS_MEMBER-OF ("con")

D. HTTP.REQ.USERNAME.CONTAINS ("con")

Correct Answer: C

Reference https://support.citrix.com/article/CTX200261

QUESTION 4

Which three statements are true when comparing a Simple Access Control List (ACL) to an Extended ACL? (Choose three.)

A. Extended ACLs have priorities

B. Simple ACLs can be modified

C. Extended ACLs apply first

D. Simple ACLs can be based on the Source and Destination IP address

E. Simple ACLs can bridge traffic

F. Simple ACLs are based on the Source IP address only

G. Simple ACLs apply first

Correct Answer: ADG

QUESTION 5

Scenario: Users belong to three Authentication, Authorization and Auditing (AAA) groups: Corporate, Finance and Software.

Show aaa groups: >show aaa group 1) GroupName: Corporate 2) GroupName: Finance 3) GroupName: Software

Done >show aaa group Corporate GroupName: Corporate Weight: 0 Authorization Policy: pol_1, Type: Classic, Priority: 0 > add authorization policy pol_1 ns_true ALLOW > bind aaa group Corporate -policy pol_1

The user is being denied resources while aaad.debug shows: Group `corporate\\' being extracted for user User1

Why is the user being denied access?

A. The Authorization policy is NOT configured properly.

B. The group attribute is NOT configured in the LDAP policy.

C. AAA group names are NOT the same as those in Active Directory/

D. LDAP Base DN is incorrect.

Correct Answer: D

Latest 1Y0-230 Dumps   1Y0-230 PDF Dumps   1Y0-230 VCE Dumps