



# 1Y0-230<sup>Q&As</sup>

Citrix NetScaler 12 Essentials and Unified Gateway

## Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-230.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Scenario: A NetScaler is configured with the following modes:

-MAC-based Forwarding -USIP -USNIP -Layer 3 mode

A Citrix Administrator configured a new router and now requires some of the incoming and outgoing traffic to take different paths through the new router. However, the administrator notices that this is failing and takes a network trace. After a short monitoring period, the administrator notices that the packets are still NOT getting to the new router from the NetScaler.

Which mode should the administrator disable on the NetScaler to facilitate the addition of the new router and successfully route the packets?

- A. MAC-based Forwarding
- B. USIP
- C. Layer 3 mode
- D. USNIP

Correct Answer: D

---

### QUESTION 2

Scenario: A Citrix ADC MPX appliance has become unresponsive while using the GUI. A Citrix Administrator needs to restart the appliance and force a core dump for analysis.

What can the administrator do to accomplish this?

- A. Use the NMI button on the back of the appliance.
- B. Connect to the USB port to issue a restart command.
- C. Use the reset button on the front of the appliance.
- D. Turn off the appliance using the power button.

Correct Answer: A

---

### QUESTION 3

Scenario: A Citrix Administrator needs to build policies that control the selection of XenApp applications to which a user has access. The administrator would like for the policy decisions to be made by leveraging the HDX settings.

Which type of policy would enable this requirement?



- A. Traffic
- B. SmartControl
- C. Authorization
- D. SmartAccess

Correct Answer: D

Reference: <https://docs.citrix.com/en-us/xenmobile/server/apps/smart-access-to-hdx-apps.html>

---

#### QUESTION 4

Scenario: A company has three departments with proprietary applications that need to be load-balanced on the NetScaler. The three department managers would like to use the same IP address to access their individual application, which would mean configuring three load-balanced virtual servers all using the same IP address. How can a Citrix Administrator configure this on the NetScaler?

- A. Configure three different load-balanced virtual servers with three different IP addresses on the NetScaler
- B. Configure three SNIPs with the same IP address on the NetScaler
- C. Configure three different NetScalers that use the same IP address
- D. Configure three different admin partitions that allow the use of the same IP address for each load-balanced virtual server

Correct Answer: B

---

#### QUESTION 5

A Citrix Administrator receives complaints from some users that authentication for the Citrix Gateway site fails.

Which tool can the administrator use to find data regarding time of failure and a list of users facing this issue?

- A. Gateway Insight
- B. Security Insight
- C. Web Insight
- D. HDX Insight

Correct Answer: D