



1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A Citrix Administrator needs to use a client's IP address as the source IP address for Citrix ADC-to-server connections. Which Citrix ADC mode can the administrator use to meet this requirement?

- A. USNIP
- B. Layer 2
- C. Layer 3
- D. USIP

Correct Answer: D

When you enable the USIP address mode of a NetScaler appliance, the appliance forwards each packet to the appropriate back end server with the client IP address. <https://support.citrix.com/article/CTX121974>

QUESTION 2

Scenario:

POLICY 1:

```
add rewrite action ACT_1 corrupt_http_header Accept-Encoding
```

```
add rewrite policy POL_1 HTTPS.REQ.IS_VALID ACT_1
```

POLICY 2:

```
add rewrite action ACT_2 insert_http_header Accept-Encoding "\"identity\""
```

```
add rewrite policy POL_2 "HTTP.REQ.IS_VALID " ACT_2
```

How can a Citrix Administrator successfully bind the above rewrite policies to the load- balancing vServer lb_vsrv so that POL_2 is evaluated after POL_1 is evaluated?

- A. bind lb vServer lb_vsrv -policyName POL_1 -priority 110 -gotoPriorityExpression NEXT -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -gotoPriorityExpression END -type REQUEST
- B. bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -gotoPriorityExpression NEXT -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -gotoPriorityExpression END -type REQUEST
- C. bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -gotoPriorityExpression END -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 80 -gotoPriorityExpression NEXT -type REQUEST
- D. bind lb vServer lb_vsrv -policyName POL_1 -priority 90 -type REQUEST bind lb vServer lb_vsrv -policyName POL_2 -priority 100 -type REQUEST

Correct Answer: B

- Pol1 has a prio of 90 so it's evaluated first -gotoPrioExpression NEXT means that it will evaluate next item in the policy list



-Pol2 has a prio of 100, so it's evaluated after Pol1

QUESTION 3

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A. DNS
- B. Integrated caching
- C. SSL
- D. System

Correct Answer: AB

<https://docs.citrix.com/en-us/citrix-adc/12-1/appexpert/policies-and-expressions/ns-pi-intro-pol-exp-wrapper-con/ns-pi-adv-class-pol-con.html>

QUESTION 4

Scenario: A company has three departments with proprietary applications that need to be load balanced on a Citrix ADC. The three department managers would like to use the same IP address to access their individual applications. This would mean configuring three load- balanced vServers, all using the same IP address.

What can the Citrix Administrator configure for this scenario?

- A. Three SNIPs with the same IP address on a Citrix ADC
- B. Three different Citrix ADCs that use the same IP address
- C. Three different admin partitions that allow use of the same IP address for each load- balanced vServer on a Citrix ADC
- D. Three different load-balanced vServers with three different IP addresses on a Citrix ADC

Correct Answer: C

QUESTION 5

Scenario: A Citrix Administrator needs to create local, limited-privilege user accounts for other administrators. The other administrators will require only:

Read-only access

The ability to enable and disable services and servers

Which built-in command policy permission level can the administrator use?

- A. Operator



B. Network

C. Sysadmin

D. Read-only

Correct Answer: D

[1Y0-241 PDF Dumps](#)

[1Y0-241 VCE Dumps](#)

[1Y0-241 Exam Questions](#)