



1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator executed the below command:

```
> bind vlan 10 -ifnum 1/1
```

What is the result of executing this command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.

Correct Answer: A

<https://www.citrix.com/blogs/2014/12/29/netScaler-vlans-demystified/> <https://support.citrix.com/article/CTX115575>

QUESTION 2

If a policy evaluates as _____ a Citrix ADC performs the action assigned to the _____ condition and stops further policy evaluation.

- A. TRUE; FALSE
- B. UNDEFINED; TRUE
- C. UNDEFINED; FALSE
- D. UNDEFINED; UNDEFINED

Correct Answer: C

QUESTION 3

Scenario: In general, it is recommended to do the following:

Use _____ if you want the Citrix ADC to reset or drop a connection based on a client or request-based parameter.

Use _____ to redirect traffic or respond with custom messages.

Use _____ for manipulating data on HTTP requests and responses.

- A. rewrite, rewrite, responder
- B. responder, responder, rewrite
- C. rewrite, responder, rewrite



D. responder, redirect, rewrite

Correct Answer: B

QUESTION 4

Scenario: A Citrix Administrator needs to create local, limited-privilege user accounts for other administrators. The other administrators will require only:

Read-only access

The ability to enable and disable services and servers

Which built-in command policy permission level can the administrator use?

A. Operator

B. Network

C. Sysadmin

D. Read-only

Correct Answer: D

QUESTION 5

Scenario: A Citrix ADC MPX is using one of four available 10G ports. A Citrix Administrator discovers a traffic bottleneck at the Citrix ADC. What can the administrator do to increase bandwidth on the Citrix ADC?

A. Purchase another Citrix ADC MPX appliance.

B. Plug another 10G Citrix ADC port into the router.

C. Add two more 10G Citrix ADC ports to the network and configure VLAN.

D. Add another 10G Citrix ADC port to the switch, and configure Link Aggregation Control Protocol (LACP).

Correct Answer: D

<https://docs.citrix.com/en-us/citrix-adc/current-release/networking/interfaces/configuring-link-aggregation.html>

[1Y0-241 PDF Dumps](#)

[1Y0-241 Practice Test](#)

[1Y0-241 Study Guide](#)