



# 1Y0-241<sup>Q&As</sup>

Deploy and Manage Citrix ADC with Traffic Management

## Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/1y0-241.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In a global server load balancing (GSLB) active-active environment, the connection proxy is used as the site persistence method. What is used to source the traffic when the connection is proxied?

- A. Subnet IP (SNIP)
- B. LDNS IP Address
- C. Client source IP
- D. Virtual IP (VIP)

Correct Answer: C

---

### QUESTION 2

A Citrix Administrator wants to configure independent and isolated access on a single appliance to allow three different departments to manage and isolate their own applications. What can the administrator configure to isolate department-level administration?

- A. Admin partitions that use dedicated VLANs
- B. A SNIP in each partition, and bind a VLAN for the department
- C. Policy-based routes for each department in the nsroot partition
- D. Dedicated routes in the admin partitions for each department

Correct Answer: A

---

### QUESTION 3

Which log records detailed information such as statistics, metrics, and debug information in a proprietary binary format on the Citrix ADC?

- A. Nslog
- B. Nsconfig
- C. Nstrace
- D. Syslog

Correct Answer: C

---

### QUESTION 4

Scenario: A company has three departments with proprietary applications that need to be load balanced on a Citrix



ADC. The three department managers would like to use the same IP address to access their individual applications. This would mean configuring three load- balanced vServers, all using the same IP address.

What can the Citrix Administrator configure for this scenario?

- A. Three SNIPs with the same IP address on a Citrix ADC
- B. Three different Citrix ADCs that use the same IP address
- C. Three different admin partitions that allow use of the same IP address for each load- balanced vServer on a Citrix ADC
- D. Three different load-balanced vServers with three different IP addresses on a Citrix ADC

Correct Answer: C

---

### QUESTION 5

Scenario: A Citrix Administrator would like to grant access to a Junior Citrix Administrator on the Citrix ADC.

The administrator would like to grant full access to everything except the following:

Shell User configuration

Partition configuration

Which preexisting command policy would meet the needs of this scenario?

- A. Sysadmin
- B. Operator
- C. Network
- D. Superuser

Correct Answer: A

A sysadmin is lower than a superuser in terms of access allowed on the appliance. A sysadmin user can perform all Citrix ADC operations with the following exceptions: no access to the Citrix ADC shell, cannot perform user configurations, cannot perform partition configurations, and some other configurations as stated in the sysadmin command policy

<https://docs.citrix.com/en-us/citrix-adc/current-release/system/authentication-and-authorization-for-system-user/user-usergroups-command-policies.html>

[Latest 1Y0-241 Dumps](#)

[1Y0-241 Practice Test](#)

[1Y0-241 Exam Questions](#)